

ACCESSIBLE SANITARY FITTINGS

Catalogue Vol. 4.3





CONTACT

We are happy to help.

GERMANY

RUD Ketten
 Rieger & Dietz GmbH & Co. KG
 Friedensinsel, 73432 Aalen
 Tel. +49 7361 504-0
 Fax +49 7361 504-3644
objekteinrichtung@erlau.com
www.erlau.com
www.shop.erlau.com

AUSTRIA

ERLAU in Österreich GmbH
 Pfongauer Straße 67
 5202 Neumarkt
 Tel.: +43 6216 20210 12

info@erlau.at
www.erlau.at

SCHWEIZ

Sanbeck-Objektservice
 Florastrasse 14
 8610 Uster
 Tel.: +41 43 466 99 61

info@sanbeck.ch
www.sanbeck.ch

(STYLISHLY) SAFE IN THE BATHROOM

Safety is important to you in the bathroom - whether it's in the private or public care sector?

To prevent accidents or falls caused by wetness in combination with slippery surfaces, there are ERLAU solutions. Developed to be sturdy, functional and safe. Furthermore, aesthetics and design are in high demand among the new user generation. ERLAU is constantly reinventing itself and developing "invisible helpers" that blend harmoniously into the feel-good bathroom.

SELECTIONLINE provides Haute Couture in the bathroom. Available in the colours matt black or copper, the new design line creates luxurious, tasteful accentuation.

With **VARIGRIP** you can expect design in a class of its own made of stainless steel, fully chrome-plated and high-quality. Shower rails and towel holders with a certain "something".

Dear senior residences, nurseries, schools and colour fans: **COLORLINE** will impress you.

Bright colours ensure improved perception and therefore even better safety.

Back to the roots. Back in the programme at your request: the tried-and-tested classic **WELLGRIP** - the handle tube with profiled surface.

Let yourself be inspired on the following pages. In addition to all the new products, you will of course also find the tried-and-tested ERLAU products, not least the unique modular handle system.

ERLAU sets new standards in product development, material research and quality assurance. In order to meet your needs, you can count on individual, professional advice.

Whether it's a nursing home, a private bathroom, a council or an industrial company - ERLAU expert advisers are close by and will take care of your needs.



Haute Couture in the bathroom

SelectionLine for the luxurious bathroom creates tasteful accentuation. Available in the colours matt black or copper.

From page 14

NEW

SELECTION
LINE

Add some colour

ColorLine is strikingly noticeable: Contrast is created with bright colours. With products carefully designed for dementia sufferers, safety in the bathroom is increased.

From page 34

NEW

COLORLINE



More glamour for private bathrooms

The tried-and-tested classic: Erlau products, high-gloss polished and anodised, make your bathroom shine.



OUR PRODUCT VARIETY

ERLAU general 6 - 13

Information and contact partners	6
Advantages	8
Installation	10
Colour variety	12

New ERLAU product lines 14 - 51

SELECTIONLINE matt black and copper	14
VARIGRIP chrome	28
COLORLINE bicolor	34
WELLGRIP	44

ERLAU Rundgrip 52 - 149

Grab bars and shelf grab bars	54
Shower rails and shower hand rails	64
Shower dividers and splash guard	72
Individual bathroom solutions	82
Shower seats	96
Support bars	104
Accessories	126

ERLAU information 150 - 185

Standards & technical information	150
Quickfinder	173
Product overview	174
Cleaning recommendation	184
Delivery & payment terms	185

Erlau is adaptable

Thanks to the modular design, we can offer individual solutions for your bathroom.

From page 82

Safety in contract bathroom design

The Erlau brand meets the requirements of residents' bathrooms with quality, aesthetics, design and functionality.

MORE INFORMATION ON ERLAU

You can reach us via a number of channels:

ONLINE SHOP

shop.erlau.com

- ✓ 24h order service
- ✓ Fast delivery times
- ✓ No shipping charges
- ✓ Overview of product availability
- ✓ Flexible and secure payment
- ✓ Individual shipping date
- ✓ Extensive download area (tender texts, brochures)

How to register in the shop:

- Send company data by e-mail:
 - neukunde@erlau.com
- Receive your customer number by e-mail
- Register and create a customer account:
 - shop.erlau.com
- Activate account via the customer number:



I am already an Erlau customer and want to activate my account via my customer number

- Assign your own password
- Create customer account
- Then you can place orders at your purchasing prices

PLANNING AIDS

AUSSCHREIBEN.DE

www.ausschreiben.de



www.heinze.de

- ✓ Incl. BIM data

WEBSITE

www.erlau.com/barrierefreies-bad

- ✓ Product information
- ✓ Catalogues
- ✓ References & podcasts
- ✓ Download centre

OPEN DATAPOOL

www.open-datapool.de

- ✓ All the data you need

ERLAU ACADEMY

Mr Accessible gives you the training you need to become a specialist in accessible bathrooms.

Seminar locations and dates on request at:
micha.kours@erlau.com



YOUR CONTACT PARTNERS

FOR THE CONTRACT BATHROOM/ASSISTANCE BATHROOM SECTOR:

Key Account Management

North region

Post-code: 06, 1, 2, 30-34, 37-39, 4, 58-59, 99

Lothar Rethmeier
Mobile +49 171 240 25 21
lothar.rethmeier@erlau.com

Southern region

Post-code: 7, 8, 90-94

Markus Grubauer
Mobile +49 171 875 77 09
markus.grubauer@erlau.com

Internal sales

Carolin Landgraf
Tel.: +49 7361 504-3252
Fax: +49 7361 504-3644
carolin.landgraf@erlau.com

Marlena Schmid
Tel.: +49 7361 504-3260
Fax: +49 7361 504-3644
marlena.schmid@erlau.com

Serife Zivicnjak
Tel.: +49 7361 504-3223
Fax: +49 7361 504-3644
serife.zivicnjak@erlau.com

FOR THE PRIVATE BATHROOM AND MEDICAL SUPPLY STORE SECTOR:

Key Account Management internal sales

Micha Kours
Mr Accessible
Mobile +49 151 1701 6666
micha.kours@erlau.com

Erna Kinzler
Tel.: +49 7361 504-3255
Fax: +49 7361 504-3644
erna.kinzler@erlau.com



OUR SALES REPRESENTATIVES CAN BE FOUND AT: erlau.com/contact

YOUR ADVANTAGES

at a glance!



FAMILY-MANAGED

- ✓ Family business since 1828
- ✓ Long-term, value-orientated and thinking and acting in partnership
- ✓ Awareness of tradition, combined with dynamism and innovation



JUST IN TIME

- ✓ High stock availability
- ✓ Same day delivery is possible for orders placed before 10 a.m. (for stock items)



DIRECT MANUFACTURER PROCUREMENT

- ✓ Buy directly from the manufacturer
- ✓ Short delivery chain
- ✓ Professional advice

YOUR ADVANTAGES

at a glance!

ONLINE SHOP

- ✓ 24 h order service
- ✓ Download centre
- ✓ Online contact form
- ✓ E-catalogue



SERVICE

- ✓ Individual professional advice by telephone and on-site
- ✓ Audit documents
- ✓ Fitting suggestions
- ✓ Samples and showroom items at special terms
- ✓ Product listings directly on the building site

We are also happy to help with...

- ✓ Preparing specifications
- ✓ Preparing tenders
- ✓ Implementation of customised solutions



QUALITY

Our products are characterised by:

- ✓ High quality
- ✓ Functionality
- ✓ Central fixing without rosette, resulting in less dirt and bacteria
- ✓ Sustainability
- ✓ Environmentally-friendly
- ✓ Longevity
- ✓ Design and aesthetics



INSTALLATION

Example



Mark.



Drill.



Mount the connection piece to the wall.



The practical marker (mandrel) helps you to mark out.



Simple alignment of the bar.
An impact marks the second drilling point.



Mount and align the second connection piece.




Place the handle tube on the two mounted connection pieces.



Screw in the threaded pins and tighten.










The bar is now installed.



You can also find us on YouTube

COLOUR VARIANTS

Standard programme

<p>STANDARD COLOURS 1* (SC1)</p>	 <p>01</p>	 <p>04</p>	 <p>08</p>
	<p>Pure white, similar to RAL 9010</p>	<p>Stone grey, similar to RAL 7030</p>	<p>Anthracite grey, similar to RAL 7016</p>
<p>STANDARD COLOURS 2* (SC2)</p>	 <p>85</p>		
	<p>High-gloss anodised</p>		
<p>COLOURS TO ORDER**</p>	 <p>19</p>	 <p>03</p>	 <p>18</p>
	<p>Pastel yellow, similar to RAL 1034</p>	<p>Ruby red, similar to RAL 3003</p>	<p>Lavender blue, similar to RAL D2606030</p>


* Generally available from stock.

** Delivery time 6 to 8 weeks. Surcharge: 15 % of the value of goods + €150 one-off set-up costs.
From an order value of 6,000 € gross without surcharge.


COLOUR VARIANTS

New products

SELECTIONLINE*


36

Black matt

37




Copper

VARIGRIP*


85

Chrome

WELLGRIP**

01Pure white, similar to
RAL 9010**04**Stone grey, similar to
RAL 7030**08**Anthracite grey,
similar to RAL 7016

COLORLINE**

03Bicolor / with ruby red, similar to RAL 3003,
and pure white, similar to RAL 9010

* Generally available from stock.

** Delivery time 6 to 8 weeks. Also available in colours to order.

Haute Couture in the bathroom





SELECTION LINE

Your bathroom should be luxurious and impress with tasteful accentuation? SelectionLine matt black impresses in style, with a modern ambience.

SELECTIONLINE

GRAB BAR**HG-R**

ALSO TOWEL HOLDER

- Rundgrip, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



**GRAB BAR HG-R - ALSO TOWEL HOLDER - MATT BLACK OR COPPER**

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.
HG-R-300	300	344	0.82	53 621 ..*
HG-R-600	600	644	1.14	53 624 ..*

**SMART
ADDITIONS****Shower shelf AS-XLS**

Art. no. 54 249 ..*

Page 26



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37



SELECTIONLINE

**FOOTREST
HG-R**

- Rundgrip, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Includes concealed centralised fixing without rosettes.
- Load up to 150 kg.

**FOOTREST HG-R - MATT BLACK OR COPPER**

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.
HG-R-169	169	213	0.78	54 041 ..*



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37

SELECTIONLINE

**90° ANGLED GRAB BAR
WG-90-R**

- Rundgrip, for left-hand or right-hand use, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.


**90° ANGLED GRAB BAR WG-90-R - MATT BLACK OR COPPER**

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
WG-90-R-805x605	805 x 605	842 x 642	1.65	53 633 ..*

**SMART
ADDITIONS****Shower shelf AS-XLS**

Art. no. 54 249 ..*

Page 26



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37

SELECTIONLINE

**SHOWER RAIL
BS-R**

- Rundgrip, also grab bar, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 100 kg.

**SHOWER RAIL BS-R - MATT BLACK OR COPPER**

Article name	Drilling dimensions (A) in mm	Outer dimensions in mm	Weight in kg	Art. no.
BS-R-1000	1,000	1,044	1.54	53 642 ..*

**SMART
ADDITIONS****Shower basket
DK-G**

Art. no. 54 294 36

Page 27

**Shower basket
DK-E**

Art. no. 54 295 36

Page 27

**Shower hose
BRS**


Art. no. 501 166

Page 71

**Hand shower
HBR**

Art. no. 501 180

Page 71



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37

SELECTIONLINE

SHOWER RAIL
DB-R**SHOWER RAIL DB-R - MATT BLACK OR COPPER**

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
DB-R-1205x700	1,205 x 700	1,254 x 744	2.80	53 637 ..*	



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37

- Rundgrip, also grab bar, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Shower rail can be individually positioned via a T-connector.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).



SMART ADDITION



Shower shelf AS-XLS

Art. no. 54 249 ..*

Page 26



Shower hose BRS

Art. no. 501 166

Page 71



Hand shower HBR

Art. no. 501 180

Page 71

* Please add the desired colour number to the last digits of the article no.:

New products:


36

37

SELECTIONLINE

HINGED SHOWER SEAT DKX

- Large padded seat in anthracite grey made of PUR integral foam with hygiene cut-out.
- With integrated adjustable brake and seat tilt adjustment.
- Wall housing made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX.
- Load up to 150 kg.



**AID CODE
NUMBER:**

DKX
04.40.03.0047

HINGED SHOWER SEAT DKX - MATT BLACK OR COPPER

Article name	Dimensions in mm	Weight in kg	Art. no.
DKX	430 x 466 x 89	6.5	53 944 ..*

SMART ADDITIONS



Installation set 1
(2x required)

Art. no. 50 068 39


Page 125



Installation set 2
(composite mortar cartridge)

Art. no. 50 070 34

Page 125



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37


SELECTIONLINE

**HINGED SUPPORT BAR
XSE**

- Made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Ergonomically shaped, single-arm handle bar oval tube, crosssection 34-44 mm, can be used on the left or right.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set V SX.
- Load up to 100 kg.

**AID CODE
NUMBER:****XSE**
04.40.05.1243**DEFINED END
STOP**Prevents the hinged
support bar from
hitting the wall**HINGED SUPPORT BAR XSE - MATT BLACK OR COPPER**

Article name	Reach in mm	Weight in kg	Art. no.
XSE-700	700	4.67	53 806 ..*
XSE-850	850	4.95	53 807 ..*

**SMART
ADDITIONS****Installation set 1**
(2x required)

Art. no. 50 068 39

Page 125

**Installation set 2**
(composite mortar cartridge)


Art. no. 50 070 34

Page 125

**Paper holder
PAS / CL**

Art. no. 83 20 700

Page 120

**Remote release
FMI / CL**

Art. no. 83 214 00

Page 116

* Please add the desired colour number to the last digits of the article no.:

New products:

36

37



SELECTIONLINE

**TOWEL HOLDER
HHS**

- Reach 478 mm, 2-arm, pivoting, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Includes concealed centralised fixing without rosettes.

**TOWEL HOLDER HHS - MATT BLACK OR COPPER**

Article name	Reach in mm	Weight in kg	Art. no.
HHS	478	0.85	54 092 ..*



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37


SELECTIONLINE

**GLASS SHELF
KG-R**

- Rundgrip, shelf and also grab bar, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- Shelf plate made of safety glass.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.

**GLASS SHELF KG-R - MATT BLACK OR COPPER**

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.
KG-R-169	169	213	1.75	54 080 ..*



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37





SELECTIONLINE

**SHOWER SHELF
AS-XLS**

- Mobile shelf with water drainage slot, made of corrosion-resistant aluminium, polyamide-coated in matt black or in copper.
- For insertion in the Erlau Rundgrip grab and grip systems, can be removed for cleaning.

**SHOWER SHELF AS-XLS - MATT BLACK OR COPPER**

Article name	Length in mm	Weight in kg	Art. no.
AS-XLS	240	0.22	54 249 ..*



* Please add the desired colour number to the last digits of the article no.:

New products:

36

37







SELECTIONLINE

**SHOWER BASKET
DK-G / DK-E**

- Straight or angled, with water drainage slots.
- Shower basket made of stainless steel, polyamide-coated in the colour matt black, inlet made of white plastic, removable for cleaning.
- Including fixing material.

**SHOWER BASKET DK-G / CORNER SHOWER BASKET DK-E - MATT BLACK**



Article name	Dimensions in mm	Weight in kg	Art. no.
DK-G straight	122 x 233	0.56	54 294 36
DK-E angled	170 x 230	0.51	54 295 36



Pure elegance, luxurious design

**VARIABILITY IN
BATHROOM
REFURBISHMENT**

The VariGrip series has adjustable connection points. This means that the drilling point can be flexibly drilled.





VRIGRIP

Design your oasis of well-being within your own four walls.

Design in a class of its own made of stainless steel: fully chrome-plated, exclusive, luxurious. Elegant design and safety in your modern bathroom of the future - VariGrip is stable, resilient, easy to clean and meets the highest demands.

VARIGRIP

TOWEL HOLDER

HG-V

ALSO GRAB BAR

- Made of stainless steel, chrome-plated.
- Includes concealed centralised fixing without rosettes, variable positioning.
- Load up to 150 kg, HG-V-1100 load up to 100 kg.



**FLEXIBLE
DRILLING
POINT**

TOWEL HOLDER HG-V - ALSO GRAB BAR

Article name	Outer dimensions (L) in mm	Weight in kg	Art. no.
HG-V-300 CHROME	300	0.80	5428985
HG-V-600 CHROME	600	1.10	5429085
HG-V-900 CHROME	900	1.40	5429185
HG-V-1100 CHROME	1,100	1.60	5429285

SMART ADDITIONS



Shower shelf AS-XLS


Art. no. 54 249 85



Shower holder BRH-V

Art. no. 5430585

Page 135



VARIGRIP

FOOTREST HG-V

- Made of stainless steel, chrome-plated.
- Includes concealed centralised fixing without rosettes, variable positioning.
- Load up to 150 kg.




**FLEXIBLE
DRILLING
POINT**

NEW PRODUCTS VARIGRIP

FOOTREST HG-V

Article name	Outer dimensions (L) in mm	Weight in kg	Art. no.
HG-V-200 CHROME	200	0.7	5428885



VARIGRIP

SHOWER RAIL BS-V

- Also grab bar, made of stainless steel, chrome-plated.
- Shower holder BRH-V made of plastic, chrome-plated, to suit all conventional hand showers.
- Adjustable button with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes, variable positioning.
- Load: BS-V-900 up to 150 kg, BS-V-1100 up to 100 kg.



**FLEXIBLE
DRILLING
POINT**

PROFESSIONAL TIP

To cover existing drill holes, the **support disc STS** can be used.

See page 149

SHOWER RAIL BS-V

Article name	Outer dimensions (L) in mm	Weight in kg	Art. no.	
BS-V-900 CHROME	900	1.50	54 313 85	
BS-V-1100 CHROME	1,100	1.70	54 314 85	

SMART ADDITIONS



Shower hose BRS

Art. no. 501 166


Page 71



Hand shower HBR

Art. no. 501 180

Page 71



VARIGRIP







SHOWER BASKET DK-G / DK-E

- Straight or angled, with water drainage slots.
- Shower basket made of stainless steel, chrome-plated, inlet made of anthracite grey plastic removable for cleaning.
- Including fixing material.



SHOWER BASKET DK-G / CORNER SHOWER BASKET DK-E

Article name	Dimensions in mm	Weight in kg	Art. no.
DK-G CHROME	122 x 233	0.56	54 294 85
DK-E CHROME	170 x 230	0.51	54 295 85







COLORLINE

Add some colour:

The bright colours of the ColorLine series contrast with the mostly subtle colours of tiles and walls. Better perception, more safety and a real eye-catcher for your bathroom.

COLORLINE

GRAB BAR

HG-R CL

ALSO TOWEL HOLDER

- Rundgrip series ColorLine red/white, made of corrosion-resistant aluminium, polyamide-coated, colour-combined in the colours RAL 3003 ruby red and RAL 9010 pure white.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



GRAB BAR HG-R CL - ALSO TOWEL HOLDER

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
HG-R-300 CL	300	344	0.82	54 331 03	
HG-R-600 CL	600	644	1.14	54 332 03	


More colours on request.

PROFESSIONAL TIP

Mismatched tiles? Not a problem for ERLAU!

Tile compensation with our connection piece 68 mm.

See page 86




SMART ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01

Page 135



COLORLINE

ANGLED GRAB BAR WG-R CL

- Rundgrip series ColorLine red/white, made of corrosion-resistant aluminium, polyamide-coated, colour-combined in the colours RAL 3003 ruby red and RAL 9010 pure white.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



45° ANGLED GRAB BAR WG-45-R CL AND 90° ANGLED GRAB BAR WG-90-R CL

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
WG-45-R-300x300 CL	300 x 300	556 x 256	1.34	54 333 03
WG-90-R-805x605 CL	805 x 605	842 x 642	1.65	54 334 03


More colours on request.

PROFESSIONAL TIP

Mismatched tiles? Not a problem for ERLAU!

Tile compensation with our connection piece 68 mm.

See page 86



SMART ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01



Page 135



Paper holder PAS-X-R

Art. no. 54 071 01

Page 119



COLORLINE

SHOWER HAND RAIL DB-R CL



PROFESSIONAL TIP


Mismatched tiles? Not a problem for ERLAU! Tile compensation with our connection piece 68 mm.
See page 86

SHOWER HAND RAIL DB-R CL

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
DB-R-1200x500 CL	1,200 x 500	1,249 x 544	2.58	54 335 03	

More colours on request.

- Rundgrip series ColorLine red/white, made of corrosion-resistant aluminium, polyamide-coated, colour-combined in the colours RAL 3003 ruby red and RAL 9001 pure white.
- Shower rail can be individually positioned via a T-connector.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).



SMART ADDITIONS



Shower shelf AS-XLS

Art. no. 54 249 01

Page 135



Shower hose BRS

Art. no. 501 166

Page 71



Hand shower HBR

Art. no. 501 180

Page 71

COLORLINE

SHOWER HAND RAIL
DBE-R CL**SHOWER HAND RAIL DBE-R CL**

Article name	Drilling dimensions (AxBxC) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
DBE-R-1200x780x790 CL	1,200 x 780 x 790	1,249 x 802 x 812	3.8	54 336 03	

More colours on request.


- Rundgrip series ColorLine red/white, corner design, also grab bar, made of corrosion-resistant aluminium, polyamide-coated, colour-combined in the colours RAL 3003 ruby red and RAL 9001 pure white.
- Shower rail can be individually positioned via a T-connector. Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).

**PROFESSIONAL
TIP**

**Mismatched tiles? Not a
problem for ERLAU!**

Tile compensation with our
connection piece 68 mm.

See page 86



**SMART
ADDITIONS**



Shower shelf AS-XLS

Art. no. 54 249 01

Page 135



Shower hose BRS

Art. no. 501 166

Page 71



Hand shower HBR

Art. no. 501 180

Page 71

COLORLINE

HINGED SUPPORT BAR XSE CL

- Single-arm, ergonomically shaped oval tube, can be used on the left or right, made of corrosion-resistant aluminium, polyamide-coated, colour-combined in the colours RAL 3003 ruby red and RAL 9010 pure white.
- Incl. integrated adjustable brake.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX.
- Load up to 100 kg.



**AID CODE
NUMBER:
XSE**

04.40.05.1243

**DEFINED END
STOP**


Prevents the hinged support bar from hitting the wall

HINGED SUPPORT BAR XSE CL

Article name	Reach in mm	Weight in kg	Art. no.	
XSE-600 CL	600	4.50	5432803	
XSE-700 CL	700	4.67	5432903	
XSE-850 CL	850	4.95	5433003	

More colours on request.

SMART ADDITIONS



Installation set 1 (2x required)



Installation set 2 (composite mortar cartridge)



Paper holder PAS-X-O



Remote release FMI / CL



Electric flush release ESA-X

Art. no. 50 068 39

Page 125

Art. no. 50 070 34

Page 125

Art. no. 54 070 01

Page 119

Art. no. 83 214 00

Page 116

See page 114

COLORLINE

HINGED SUPPORT BAR XSK CL

- Rundgrip series ColorLine red/white, made of corrosion-resistant aluminium, polyamide-coated, colour-combined in the colours RAL 3003 ruby red and RAL 9010 pure white.
- Alignment right / left / centre adjustable, pushed up directly against the wall in parking position to save space.
- Different bar heights possible by inclining the poles.
- Incl. integrated adjustable brake.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX.
- Load up to 100 kg.



**AID CODE
NUMBER:
XSK
04.40.05.1242**


NEW PRODUCTS COLORLINE

HINGED SUPPORT BAR XSK CL

Article name	Reach in mm	Weight in kg	Art. no.
XSK-600 CL	600	5.00	5432503
XSK-700 CL	700	5.15	5432603
XSK-850 CL	850	5.35	5432703

More colours on request.

SMART ADDITIONS



Installation set 1 (2x required)



Installation set 2 (composite mortar cartridge)



Paper holder PAS-X-R



Remote release FMI / E



Electric flush release ESA-X

Art. no. 50 068 39	Art. no. 50 070 34	Art. no. 54 071 01	Art. no. 81 02 213	See page 114
Page 125	Page 125	Page 119	Page 116	



WELLGRIP

The tried-and-tested classic from Erlau is back: Wellgrip, the handle tube with profiled surface, provides a safe, pleasant gripping sensation.





WELLGRIP GRAB BAR HG-W

- Also towel holder, made of corrugated, corrosion-resistant aluminium, polyamide-coated.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



GRAB BAR HG-W

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
HG-W-300	300	344	0.82	54189 ..*	
HG-W-600	600	644	1.14	54190 ..*	



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1): 01 04 08

On request:
Colours to order:



WELLGRIP

45° ANGLED GRAB BAR WG-45-W


- Wellgrip, for use on the left or right, made of corrugated, corrosion-resistant aluminium, polyamide-coated.
- Grip load up to 150 kg.
- Includes concealed centralised fixing without rosettes.



NEW PRODUCTS WELLGRIP

45° ANGLED GRAB BAR WG-45-W

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
WG-45-W-300x300	300 x 300	556 x 256	1.34	54191 ..*



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



On request:
Colours to order:



WELLGRIP

90° ANGLED GRAB BAR WG-90-W

- Wellgrip, for use on the left or right, made of corrugated, corrosion-resistant aluminium, polyamide-coated.
- Grip load up to 150 kg.
- Includes concealed centralised fixing without rosettes.



90° ANGLED GRAB BAR WG-90-W

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
WG-90-W-805-605	805 x 605	842 x 642	2.18	54192 ..*	


SMART ADDITIONS



Shower holder BRH-W

Art. no. 54 196 ..*

Page 51



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:

Colours to order:



WELLGRIP


SHOWER HAND RAIL DB-W

- Wellgrip, also grab bar, made of corrugated, corrosion-resistant aluminium, polyamide-coated. Shower rail can be flexibly positioned individually in the "non-corrugated area" of the horizontal handle tube by means of a T-connector.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).



SHOWER HAND RAIL DB-W

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.
DB-W-1200x500	1,200 x 500	1,249 x 544	2.58	54193 ..*



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



On request:
Colours to order:



WELLGRIP


SHOWER HAND RAIL DBE-W

- Wellgrip, corner design, also grab bar, made of corrugated, corrosion-resistant aluminium, polyamide-coated.
- Shower rail can be flexibly positioned individually in the "non-corrugated area" of the horizontal handle tube by means of a T-connector.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).



SHOWER HAND RAIL DBE-W

Article name	Drilling dimensions (AxBxC) in mm	Outer dimensions in mm	Weight in kg	Art. no.	
DBE-W-1200x780x790	1,200 x 780 x 790	1,249 x 802 x 812	3.83	54194 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:

Colours to order:



WELLGRIP

SHOWER HOLDER

BRH-W

- Wellgrip, to suit all conventional hand showers.
- Made of corrosion-resistant aluminium, polyamide-coated.
- Adjustment knob and conical shower fixture in anthracite-grey, for operation with one hand.
- Continuously adjustable in height and inclination.

**SHOWER HOLDER BRH-W**

Article name	Dimensions in mm	Weight in kg	Art. no.	
BRH-W	57 x 70	0.55	54196 ..*	

CUSTOMISED SOLUTIONS POSSIBLE

Making more products and lengths possible in Wellgrip.

**ENQUIRE
NOW**

* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



On request:

Colours to order:







RUNDGRIP

Safety you can "grip". Rundgrip is the tried-and-tested and versatile Erlau profile. It guarantees a consistent grip and a secure gripping sensation regardless of the grab angle.



GRAB BARS & SHELF GRAB BARS

A secure and good gripping sensation.

Functionality: Grab bar and towel holder or shelf in one.

Easy to clean.

Installation without rosettes: No chance for bacteria and germs.


RUNDGRIP

GRAB BAR

HG-R

ALSO TOWEL HOLDER

- Rundgrip made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



GRAB BAR HG-R - ALSO TOWEL HOLDER

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
HG-R-300	300	344	0.82	53 621 ..*		
HG-R-400	400	444	0.93	53 622 ..*		
HG-R-500	500	544	1.03	53 623 ..*		
HG-R-600	600	644	1.14	53 624 ..*		
HG-R-700	700	744	1.24	53 625 ..*		
HG-R-800	800	844	1.35	53 626 ..*		
HG-R-900	900	944	1.46	53 627 ..*		

SMART ADDITIONS



Hanging seat DEX

Art. no. 53 940 ..*

Page 102



Shelf AS-XLS



Art. no. 54 249 ..*

Page 135

PROFESSIONAL TIP

Mismatched tiles? Not a problem for ERLAU! Tile compensation with our connection piece 68 mm.

See page 86



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19

03

18

RUNDGRIP

GRAB BAR HGE-R

- Rundgrip, for corner installation, can be used on the right and left, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.





GRAB BAR HGE-R - CORNER INSTALLATION

Article name	Length (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
HGE-R-490	490	512	1.27	53 702 ..*		
HGE-R-690	690	712	1.83	53 703 ..*		

SMART ADDITIONS



**PROFESSIONAL
TIP**
Individual
shortening



Hanging seat DEX

Art. no. 53 940 ..*

Page 102

Shelf AS-XLS

Art. no. 54 249 ..*

Page 135

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19


03

18

RUNDGRIP



FOOTREST HG-R

- Rundgrip made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



FOOTREST HG-R

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
HG-R-169	169	213	0.78	54 041 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



RUNDGRIP

SHELF GRAB BAR KG-R

- Shelf and grab bar at the same time.
- Rundgrip made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Shelf plate made of safety glass.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



SHELF GRAB BAR KG-R - SHELF AND GRAB BAR

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
KG-R-700	700	744	2.25	53 628 ..*		

SMART ADDITIONS



Mirror SP 1000x600

Art. no. 50 069 75


Page 146



Mirror SP 600x600

Art. no. 50 069 81

Page 146



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19

03

18

RUNDGRIP



GLASS SHELF KG-R

- Rundgrip, also shelf and grab bar, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Shelf plate made of safety glass.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



GLASS SHELF KG-R - SHELF AND GRAB BAR

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
KG-R-169	169	213	1.75	54 080 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



RUNDGRIP

45° ANGLED GRAB BAR WG-45-R

- Rundgrip, can be used on the right and left, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



45° ANGLED GRAB BAR WG-45-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
WG-45-R-300x300	300 x 300	556 x 256	1.34	53 630 ..*		

PROFESSIONAL TIP

Mismatched tiles? Not a problem for ERLAU!

Tile compensation with our connection piece 68 mm.

See page 86

SMART ADDITION



Shelf AS-XLS

Art. no. 54 249 ..*



Page 135



Paper holder PAS-X-R

Art. no. 54 071 ..*

Page 119



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19

03

18



RUNDGRIP

90° ANGLED GRAB BAR WG-90-R



90° ANGLED GRAB BAR WG-90-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
WG-90-R-305x305	305 x 305	342 x 342	1.33	53 631 ..*		
WG-90-R-605x305	605 x 305	642 x 342	1.65	53 632 ..*		
WG-90-R-805x605	805 x 605	842 x 642	2.18	53 633 ..*		
WG-90-R-1005x605	1,005 x 605	1,042 x 642	2.39	53 634 ..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:



Colours to order:

19

03

18

- Rundgrip, can be used on the right and left, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



SMART ADDITIONS



**Shower holder
BRH2/G**

Art. no. 53 741 ..*

Page 148



Shelf AS-XLS

Art. no. 54 249 ..*

Page 135



Paper holder PAS-X-R

Art. no. 54 071 ..*

Page 119



Shower hose BRS

Art. no. 501 166

Page 71



Hand shower HBR

Art. no. 501 180

Page 71

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:





SHOWER RAILS & SHOWER HANDRAILS

User-friendliness: Shower holder can be easily adjusted.

Corrosion-resistant and warm to touch.


Secure gripping sensation in wet areas.

Installation without rosettes: No chance for bacteria and germs.

RUNDGRIP

SHOWER RAIL BS-R

- Rundgrip, also grab bar, made of corrosion-resistant aluminium, polyamide-coated or high-gloss and anodised.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 100 kg.



SHOWER RAIL BS-R

Article name	Drilling dimensions (A) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
BS-R-800 **	800	844	1.33	53 641..*		
BS-R-1000	1,000	1,044	1.54	53 642..*		
BS-R-1200	1,200	1,244	1.75	53 643..*		

** Grip load up to 150 kg

SMART ADDITIONS



Shower hose BRS

Art. no. 501 166


Page 71



Hand shower HBR

Art. no. 501 180

Page 71



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



RUNDGRIP

SHOWER HAND RAIL DB-R



SHOWER HAND RAIL DB-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
DB-R-1205x500	1,205 x 500	1,254 x 544	2.58	53 636 ..*		
DB-R-1205x700	1,205 x 700	1,254 x 744	2.80	53 637 ..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:



Colours to order:

19

03

18

- Rundgrip, also grab bar, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Shower rail can be individually positioned via a T-connector.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).



SMART ADDITIONS



Shelf AS-XLS

Art. no. 54 249 ..*

Page 135



Shower hose BRS

Art. no. 501 166

Page 71



Hand shower HBR

Art. no. 501 180

Page 71

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



RUNDGRIP

SHOWER HAND RAIL DBE-R



PROFESSIONAL TIP

- ✓ Individual solutions for shower niches
- ✓ The shower hand rail can be completely turned around and installed the opposite way round.
- ✓ Dimension C can be shortened onsite, dimension A + B (other dimension by replacing the handle tube, see page 84)
- ✓ Replacing the tubes results in other dimensions for B & C

SHOWER HAND RAIL DBE-R

Article name	Drilling dimensions (AxBxC) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
DBE-R-1205x785x790	1,205 x 785 x 790	1,254 x 807 x 812	3.83	53 638 ..*		
Dimensions when replacing tubes B&C	1,205 x 885 x 690	1,254 x 907 x 712				
DBE-R-1205x985x790	1,205 x 985 x 790	1,254 x 1,007 x 812	4.04	53 639 ..*		
Dimensions when replacing tubes B&C	1,205 x 885 x 890	1,254 x 907 x 912				

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:




19

03

18

- Rundgrip, also grab bar, can be used on the right and left, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Shower rail can be individually positioned via a T-connector.
- Shower holder with conical shower fixture, continuously adjustable in height and inclination.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg (horizontal) or 100 kg (vertical).

PROFESSIONAL TIP
Mismatched tiles? Not a problem for ERLAU!
Tile compensation with our connection piece 68 mm.
See page 86



SMART ADDITIONS



Hanging seat DEX

Art. no. 53 940 ..*

Page 102



Shelf AS-XLS

Art. no. 54 249 ..*

Page 135



Shower hose BRS

Art. no. 501 166

Page 71



Hand shower HBR

Art. no. 501 180

Page 71

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



RUNDGRIP

HAND RAIL HL-R

- Rundgrip made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.
- Grip load up to 150 kg.



PROFESSIONAL TIP

Dimension B can be shortened on-site, dimension A, other length by replacing the handle tube, see page 84

HAND RAIL HL-R

Article name	Drilling dimensions (AxB) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
HL-R-785x790	785 x 790	807 x 812	2.25	53 640 ..*		

SMART ADDITIONS



Shelf AS-XLS

Art. no. 54 249 ..*

Page 135



Hanging seat DEX

Art. no. 53 940 ..*

Page 102

PROFESSIONAL TIP

Mismatched tiles? Not a problem for ERLAU!
Tile compensation with our connection piece 68mm.
See page 86



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19

03

18

ACCESSORIES

**HAND SHOWER
HBR**

- Gloss chrome.
- Extra lightweight.
- Triple adjustable (shower, soft or massage jet).
- Suitable for immersion heaters.

**HAND SHOWER HBR**

Article name	Weight in kg	Art. no.	
HBR	0.10	501 180	

ACCESSORIES

**SHOWER HOSE
BRS**

- Metal effect shower hose with conical nut R 1/2" and seals.

**SHOWER HOSE BRS**

Article name	Length in mm	Weight in kg	Art. no.	
BRS	1,600	0.20	501 166	



SHOWER DIVIDERS & SPLASH GUARD

Hygienic and easy-care curtain.

With round arch for easier use of the shower curtain.

For individual shortening.

SHOWER DIVIDERS

SHOWER CURTAIN RAIL

DVS-G

STRAIGHT


- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes shower curtain rings.
- Includes concealed centralised fixing without rosettes.
- Can be shortened on-site.



SHOWER CURTAIN RAIL DVS-G - STRAIGHT

Article name	Number of curtain rings	Outer dimensions in mm	Weight in kg	Art. no.		
DVS-G-1000	12	1,000	1.27	53 644 ..*		
DVS-G-1500	12	1,500	1.83	53 645 ..*		
DVS-G-1950	16	1,950	3.52	53 646 ..*		

For DVS-G-1950:



SMART ADDITIONS



Shower curtain DV-180

Art. no. 501 492

Page 80



Shower curtain DV-240

Art. no. 501 493

Page 80

PROFESSIONAL TIP

For individual shortening
Erlau installation recommendation:

Drilling dimension 205 cm
above FFL (=curtain 1.3 cm
above FFL)

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SHOWER DIVIDERS

SHOWER CURTAIN RAIL**DVS-L-B**

L-SHAPE

**SHOWER CURTAIN RAIL DVS-L-B - L-SHAPE**

Article name	Number of curtain rings	Dimensions (AxB) in mm	Weight in kg	Art. no.		
DVS-L-B-1000x1000	16	1,000 x 1,000	3.3	53 934 ..*		
DVS-L-B-1200x1200	16	1,200 x 1,200	3.7	53 935 ..*		
DVS-L-B-1500x1500	24	1,500 x 1,500	4.4	53 936 ..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:


Colours to order:

19

03

18

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes shower curtain rings and suspension in 1,000 mm length.
- Includes concealed centralised fixing without rosettes.
- Dimension A, B and suspension can be shortened on-site.



SMART ADDITIONS



Shower curtain DV-180

Art. no. 501 492

Page 80



Shower curtain DV-240

Art. no. 501 493

Page 80



Shower curtain DV-360

Art. no. 8101739

Page 80

PROFESSIONAL TIP

Shower curtain rail can be shortened on both sides on-site, as well as the suspension.

Erlau installation recommendation:

Drilling dimension 205 cm above FFL (=curtain 1.3 cm above FFL)

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:


Colours to order:



SHOWER DIVIDERS

SHOWER CURTAIN RAIL
DVS-U-B

U-SHAPE


PROFESSIONAL TIP

Dimension A+C and suspensions can be shortened on-site.

Erlau installation recommendation:

Drilling dimension 205 cm above FFL
(=curtain 1.3 cm above FFL)

SHOWER CURTAIN RAIL DVS-U-B - U-SHAPE

Article name	Number of curtain rings	Dimensions (AxBxC) in mm	Weight in kg	Art. no.		
DVS-U-B-1000x1010x1000	24	1,000 x 1,010 x 1,000	5.40	53 937 ..*		
DVS-U-B-1200x1210x1200	24	1,200 x 1,210 x 1,200	6.00	53 938 ..*		
DVS-U-B-1500x1510x1500	36	1,500 x 1,510 x 1,500	6.50	53 939 ..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:


Colours to order:

19

03

18

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes shower curtain rings and suspension in 1,000 mm length.
- Includes concealed centralised fixing without rosettes.
- Shower curtain rail dimension A,C and suspension can be shortened on-site.



SMART ADDITIONS



Shower curtain DV-180

Art. no. 501 492

Page 80



Shower curtain DV-240

Art. no. 501 493

Page 80



Shower curtain DV-360

Art. no. 8101739

Page 80

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SHOWER DIVIDERS

SPLASH GUARD

SZV



WALL FIXED

- Push-up and easy to change to left or right-hand use.
- Made of corrosion-resistant aluminium, polyamide-coated.
- With concealed screw-on plate.
- Including fixing material.
- For combination with splash guard curtain SZ-VH white.
- No grab bar - load up to max. 15 kg (150N).
- Splash guard curtain SZ-VH, made of resin-treated polyester material, fungicidal, antibacterial, water- and dirt-repellent, antistatic and skin-friendly. White with white satin stripes. Top with tunnel seam, hemmed sides, with lead tape rolled hem at the bottom edge. Washable at 40°C. To suit splash guard bar SZV-B.



SPLASH GUARD SZV consisting of:

Article name	Reach in mm	Weight in kg	Art. no.	
Splash guard bar SZV-B	900	1.76	82 408..*	
Article name	Dimensions in mm	Weight in kg	Art. no.	
Splash guard curtain SZ-VH white	1,000 x 940	0.09	501 452	
Total price				



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



SHOWER DIVIDERS


SPLASH GUARD**SIZE**

MOBILE

- For horizontal and vertical hanging.
- Moves freely on Erlau grab bars and Rundgrip hand rails.
- Made of corrosion-resistant aluminium, polyamide-coated.
- Adapter made of black plastic.
- For combination with splash guard curtain SEZ-VH white.
- No grab bar - load up to max. 15 kg (150N).
- Splash guard curtain SZE-VH, made of resin-treated polyester material, fungicidal, antibacterial, water- and dirt-repellent, antistatic and skin-friendly. White with white satin stripes. Top with tunnel seam, hemmed sides, with lead tape rolled hem at the bottom edge. Washable at 40°C. To suit splash guard bar SZE-B.

**SPLASH GUARD SIZE** consisting of:

Article name	Reach in mm	Weight in kg	Art. no.	
Splash guard bar SZE-B	886	1.25	83 077 ..*	
Article name	Dimensions in mm	Weight in kg	Art. no.	
Splash guard curtain SZE-VH	870 x 745	0.09	81 023 83	
Total price				



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



ACCESSORIES

SHOWER CURTAIN DV

- Made of resin-treated polyester material, fungicidal, antibacterial, water- and dirt-repellent, antistatic and skin-friendly.
- White with white satin stripes for shower curtain rails.
- Top with punched nickel-plated brass eyelets and curtain rings, hemmed sides, with lead tape rolled hem at the bottom edge.
- Washable at 40°C.




SHOWER CURTAIN DV

Article name	Number of eyelets	Dimensions in mm	Weight in kg	Art. no.	
DV-180	12	2,000 x 1,800	0.38	501 492	
DV-240	16	2,000 x 2,400	0.50	501 493	
DV-360	24	2,000 x 3,600	0.76	81 017 39	

ACCESSORIES

SPLASHGUARD CURTAIN SZ-VH/S FOR SUPPORT BAR

- Made of resin-treated polyester material, fungicidal, antibacterial, water- and dirt-repellent, antistatic and skin-friendly.
- White with white satin stripes. Top with punched nickel-plated brass eyelets and curtain rings, hemmed sides, with lead tape rolled hem at the bottom edge.
- Washable at 40°C. Suits hinged support bars with a reach of 600 mm or 700/850 mm.




SPLASH GUARD CURTAIN SZ-VH/S

Article name	Dimensions in mm	Weight in kg	Art. no.	
SZ-VH/S for support bar 600 mm	820 x 580	0.12	81 018 09	
SZ-VH/S for support bar 700/850 mm	820 x 750	0.12	81 018 07	

ACCESSORIES

CUSTOMISED CURTAIN RAIL





Create you custom-
ised curtain rail!

CUSTOMISED CURTAIN RAIL consisting of:

Article name	Art. no.		
Arch for DVS-B	54 163 ..*		
Spare parts set DVS	50 080 27		
Consisting of:			
2x threaded bolts for SCR suspension			
6x spacers			
2x threaded pins M12x1x25			
2x fixing bolts			
2x threaded pins M6x12 (accessories are sufficient to produce a curtain rail in U-shape)			
Wall fixing (1 pc.)	53 772 ..*		
Installation set 1 (for two drilled holes)	50 068 39		
Handle tubes in different lengths		See page 84	

Dimensions of arch for
DVS-B:



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):






INDIVIDUAL
BATHROOM
SOLUTIONS

INDIVIDUAL COMPONENTS

INDIVIDUAL BATHROOM SOLUTION



AWARD-WINNING

The modular grab bars range from Erlau's contract fittings is winner of the ICONIC AWARD INTERIOR INNOVATION 2016 and the GERMAN DESIGN AWARD 2017.



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85


On request:

Colours to order:



INDIVIDUAL COMPONENTS

FOR YOUR INDIVIDUAL BATHROOM SOLUTION

INDIVIDUAL COMPONENTS			
Description	Article name	Article no.	
RUNDGRIP HANDLE TUBE Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.		Handle tube 256 mm	53 761..*
		Handle tube 356 mm	53 762..*
		Handle tube 456 mm	53 763..*
		Handle tube 556 mm	53 764..*
		Handle tube 656 mm	53 765..*
		Handle tube 756 mm	53 766..*
		Handle tube 856 mm	53 767..*
		Handle tube 956 mm	53 768..*
		Handle tube 1,056 mm	54 166..*
		Handle tube 1,156 mm	53 769..*
		Handle tube 1,356 mm	54 168..*
		Handle tube 1,456 mm	53 770..*
SPARE PARTS SET Article no. 5007010 consisting of:	<ul style="list-style-type: none"> • 7 spacer rings • 2 threaded pins M12 x 1 x 25 mm • 4 threaded pins M6 x 6.0 mm • 2 fixing bolts M12 • 2 threaded pins M10 x 16.0 mm • 1 marker 		
INSTALLATION SET 1 Article no. 5006839 consisting of:	<ul style="list-style-type: none"> • 2 wood screws DIN 571 8 x 80 mm • 2 washers DIN 125A 8.4 mm • 2 Fischer dowels UX10 x 60 mm 		
SPACER RINGS WHITE Set of 50		50 077 34	
SPACER RINGS STONE GREY Set of 50		50 077 36	
SPACER RINGS RUBY RED set of 50		50 077 35	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19

03

18

INDIVIDUAL COMPONENTS

FOR YOUR INDIVIDUAL BATHROOM SOLUTION



INDIVIDUAL COMPONENTS

Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised or chrome-plated (T-connector).

Article name		Unit/pack	Article no.		
1	CONNECTION PIECE	58 mm	2	53 771..*	
		68 mm	1	53 780..*	
2	WALL FIXING		1	53 772..*	
3	T-CONNECTOR 90/1		2	53 773..*	
4	CORNER CONNECTOR 90/2		2	53 774..*	
5	CORNER CONNECTOR 45/3		2	53 775..*	
6	CORNER CONNECTOR 90/3		2	53 776..*	
7	SHOWER HOLDER BRH2/G		1	53 741..*	
8	WALL ATTACHMENT SET		1	54 339..*	
9	HOOK HN	SET of 2	1	54 584 86	
		SET of 10	1	54 585 86	
10	GLASS ATTACHMENT SET		1	5008078	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:


Colours to order:



INDIVIDUAL COMPONENTS

CONNECTION PIECE 68 MM

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Extended wall connection (68 mm), to suit Erlau shower hand rails, shower rails and grab bars for 1 cm mismatched tiles. Packaging unit = 1 pc.



Mismatched tiles? Not a problem for ERLAU - tile compensation with our connection piece 68 mm

CONNECTION PIECE 68 MM

Article name	Art. no.		
Connection piece 68 mm	53 780 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): (01) (04) (08) Standard colours 2 (SC2): (85)

On request:

Colours to order:



INDIVIDUAL COMPONENTS


WALL ATTACHMENT SET

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- For connecting/fixing long hand rails, put together from individual handle tubes, on the wall.
- To suit Erlau shower hand rails, shower rails and grab bars.
- Set contents: 1 x wall connection and 1x tube connection, includes concealed centralised fixing without rosettes.



WALL ATTACHMENT SET

Article name	Art. no.		
Wall attachment set	54 339 ..*		



The wall attachment set is used to attach grab bars or hand rails to a wall and allows the individual realisation of long hand rails assembled from several individual tubes. Hand rails or grab bars attached by means of a wall attachment set can be loaded with up to 150 kg as long as the distance between two wall attachment points is a maximum of 900 mm (otherwise 100 kg at a maximum of 1,500 mm). The targeted placement of wall attachments thus creates additional safety when subdividing larger cantilevered sections.

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:



Colours to order:



ACCESSORIES

HOOKS
HN**HOOKS HN**

Article name	Weight per hook in kg	Art. no.	
HN set of 2	0.004	54 584 86	
HN set of 10	0.004	54 585 86	




- Made of corrosion-resistant aluminium, black anodised
- Fits all Erlau grab bars and hand rails



INDIVIDUAL COMPONENTS

DRILL HOLE SEAL

- Silicone seal, to suit Erlau shower hand rails, shower rails, grab bars or support bars and shower seats.
- Meets the requirements of the sealing standard series DIN 18534 / ETAG 022.



SILICONE HOSE SEAL (to suit Erlau shower hand rails, shower rails and grab bars.)

Article name	Packaging unit in pieces	Art. no.
Seals in a set of 10	10	50 080 69
Seals in a set of 30	30	50 080 70
Seals in a set of 100	100	50 080 71

SCREW-ON PLATE SEAT (to suit Erlau support bars and shower seats)

Seal for VPX (suitable for hinged support bars XSK, XSE, XSS and hinged shower seat DKX)	1	50 077 07
--	---	-----------

The sealing standards series DIN 18534 requires that surfaces affected by spray water, industrial water or cleaning water be sealed. The ERLAU drill hole seals meet these requirements and demonstrably* prevent moisture from penetrating at the transition of the fixing elements to the (ceramic) surface and entering the substrate through the drill holes.

*Testing based on ETAG 022 "Guideline for European technical approval of waterproofing of walls and floors in wet areas - Part 1: Liquid applied waterproofing with or without wearing course" and the partial test "Water-tightness at penetrations and other details of walls in wet rooms with flexible substrate" described in Annex F to ETAG 022




SPECIAL SOLUTIONS

SHOWER AREA

SHOWER NICHE EXAMPLE

On the following pages, you will find installation examples to enable you to supplement or extend our standard products to suit your individual requirements. For this purpose, you combine our handle tubes in the desired dimensions with individual components to create your special solution.

For unsupported lengths over 900 mm, a load capacity of 100 kg is guaranteed!



Shower niche solution

Article name	Quantity	Article no.
Shower holder BRH2/G	1	53 741..*
A = handle tube 1,156 mm	1	53 769..*
B = handle tube 656 mm	1	53 765..*
C = handle tube 856 mm (shorten to 781 mm)	1	53 767..*
D = handle tube 756 mm	1	53 766..*
Connection piece 58 mm (set of 2)	2	53 771..*
Corner connector 90/2 (set of 2)	2	53 774..*
Wall fixing	2	53 772..*
T-connector 90/1 (set of 2)	2	53 773..*
Spare parts set	3	50 070 10
Installation set 1	3	50 068 39

Dimensions when using different tube lengths:

A=tube length + 49 mm**

B=tube length + 129 mm**

C=tube length + 119 mm***

D=tube length + 34 mm***

** Length only possible in steps of 100 mm

*** Tube can be shortened

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:


Colours to order:



SPECIAL SOLUTIONS

SHOWER AREA

EXAMPLE OF A U-SHAPE SHOWER HAND RAIL



Shower hand rail U-shape

Article name	Quantity	Article no.		
Shower holder BRH2/G	1	53 741..*		
Handle tube 456 mm	1	53 763..*		
Handle tube 956 mm	1	53 768..*		
Handle tube 1,156 mm	1	53 769..*		
Connection piece 58 mm (set of 2)	2	53 771..*		
Corner connector 90/2 (set of 2)	1	53 774..*		
Corner connector 90/3 (set of 2)	1	53 776..*		
Spare parts set	3	50 070 10		
Installation set 1	2	50 068 39		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:






CUSTOMISED SOLUTIONS

CORRESPONDS WITH ÖNORM

B 1600

AUSTRIA



SHOWER HAND RAIL Ö-Norm

Article name	Quantity	Article no.		
DBE-R-1205x985x790	1	53 639..*		
Handle tube 956 mm	1	53 768..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:

Colours to order:

19

03


18

CUSTOMISED SOLUTIONS

CORRESPONDS WITH ÖNORM

B 1600

AUSTRIA



SHOWER HAND RAIL Ö-Norm

Article name	Quantity	Article no.		
Angled grab bar WG-90-R-1005x605	1	53 634..*		
Shower holder BRH2/G	1	53 741..*		
Handle tube 456 mm	1	53 763..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:





CUSTOMISED SOLUTIONS

CORRESPONDS WITH ÖNORM

B 1600

AUSTRIA



COMPONENTS			PRICES / €	
Article name	Quantity	Article no.		
Shower rail BS-R-1200	1	53 643..*		
Handle tube 956 mm	1	53 768..*		
Handle tube 756 mm	1	53 766..*		
T-connector 90/1 (set of 2)	1	53 773..*		
Corner connector 90/3 (set of 2)	1	53 776..*		
Wall fixing	1	53 772..*		
Connection piece 58 mm	1	53 771..*		
Spare parts set	1	50 070 10		
Installation set 1	1	50 068 39		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:







CUSTOMISED SOLUTIONS

CORRESPONDS WITH ÖNORM

B 1600

AUSTRIA



COMPONENTS

PRICES / €

Article name	Quantity	Article no.		
Shower hand rail DB-R-1205x500	1	53 636..*		
Handle tube 956 mm	1	53 768..*		
Wall fixing	1	53 772..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:





SHOWER SEATS

Different designs:
Hinged seats, hanging seats, stools.

Skin-compatible surface finish.

Easy to clean.

More space by simply pushing up.

SHOWER SEATS

HINGED SHOWER SEAT DKX

- Large padded seat in anthracite grey made of PUR integral foam with hygiene cut-out.
- With integrated adjustable brake and seat tilt adjustment.
- Wall housing made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX
- Load up to 150 kg.






HINGED SHOWER SEAT DKX

Article name	Seat width x seat depth in mm	Weight in kg	Art. no.		
DKX	430 x 466	6.50	53 944..*		

SMART ADDITIONS

**AID CODE
NUMBER:
DKX**
04.40.03.0047



Installation set 1 (2x required)

Art. no. 50 068 39

Page 125



Installation set 2 (composite mortar cartridge)

Art. no. 50 070 34

Page 125

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:


Colours to order:



SHOWER SEATS

**SHOWER STOOL
HC1**

- Material: Mineral material
- Surface: White matt or black
- Curved seat


**SHOWER STOOL HC1**

Article name	Seat width x depth x height in mm	Art. no.	
HC1 white	400 x 300 x 470	5476301	
HC1 black	400 x 300 x 470	5476336	

SHOWER SEATS

**SHOWER STOOL
HC2**

- Material: Mineral material
- Surface: White matt or black
- Straight seat

**SHOWER STOOL HC2**

Article name	Seat width x depth x height in mm	Art. no.	
HC2 white	400 x 300 x 470	5476401	
HC2 black	400 x 300 x 470	5476436	



SHOWER SEATS

HINGED SHOWER SEAT DKP/CL

- Plastic seat surface.
- Only 74 mm wall clearance when raised.
- Wall housing made of corrosion-resistant aluminium, high-gloss anodised.
- Including concealed screw-on plate (without installation set).
- Load up to 150 kg.



HINGED SHOWER SEAT DKP/CL

Article name	Seat width x seat depth in mm	Weight in kg	Art. no.	
DKP/CL Anthracite grey	400 x 354	3.0	83 138..*	
DKP/CL White	400 x 354	3.0	83 137..*	

SMART ADDITIONS



Installation set 1
(2x required)

Art. no. 50 068 39


Page 125



Installation set 2
(composite mortar cartridge)

Art. no. 50 070 34

Page 125



* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85



SHOWER SEATS

SHOWER STOOL**DHX**

WITH REST LHX

**Rest LHX**

For shower stool DHX

SHOWER STOOL DHX

Article name	Seat width x depth x height in mm	Weight in kg	Art. no.		
DHX	430 x 402 x 470	4.50	54 002..*		

REST LHX - Optional retrofitting

Article name	Rest width x height in mm	Weight in kg	Art. no.		
Rest LHX	219 x 580	5.50	53 757..*		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:



- Large padded seat in anthracite grey made of PUR integral foam with hygiene cut-out.
- Frame made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Anti-slip leg caps.
- Load up to 150 kg.
- Backrest for DHX shower stool can be retrofitted as an option, push-down, padded, made of reinforced PUR integral foam, anthracite grey. Rest width 219 mm, rest height 580 mm. Frame made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.



SHOWER STOOL WITH BACKREST, consisting of:

Article name

Stool DHX (54 002..*)

Rest LHX (53757..*)



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SHOWER SEATS

**HINGED SHOWER SEAT
DEX**

HINGED SHOWER SEAT DEX

Article name	Seat width x depth x height in mm	Weight in kg	Art. no.		
DEX	430 x 402 x 591	9.00	53 940..*		

FLOOR SUPPORT SET - for optionally retrofitting

Article name	Weight in kg	Art. no.		
DEX-BS (2 supports)	0.75	54 089..*		

* Please add the desired colour number to the last digits of the article no.:


Standard colours 1 (SC1): (01) (04) (08) Standard colours 2 (SC2): (85)

On request:

Colours to order:



- Large padded seat surface and backrest in anthracite grey made of PUR integral foam with hygiene cut-out.
- Frame made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- With integrated adjustable brake and seat tilt adjustment.
- Load up to 150 kg.
- Suitable for different hand rail heights.
- Floor support set DEX-BS, height-adjustable. Linkage made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised. For optional retrofitting with critical wall conditions.



**AID CODE
NUMBER:
DEX
04.40.03.0048**

HANGING SEAT WITH FLOOR SUPPORTS, consisting of:

Article name		
Hinged shower seat DEX (53 940..*)		
Floor support set (54 089..*)		



Floor support set (2 supports)
For hinged shower seat DEX

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:





SUPPORT BARS

Easy to use: Adjustable without effort.

More space by simply pushing up.

Optionally extendable with a paper holder or flush release.

SUPPORT BARS

HINGED SUPPORT BAR

XSK

ADJUSTABLE



SCAN NOW AND
WATCH THE INSTALLATION VIDEO



**ALIGNMENT
VERY SIMPLE
TO ADJUST!**



ALIGNMENT RIGHT



ALIGNMENT CENTRE



ALIGNMENT LEFT



SAVES SPACE
PUSHED UP

INNOVATION

Thanks to its intelligent design, the XSK hinged support bar can be aligned to the left, right or centre, as required, or pushed up directly against the wall (in "parking position") to save space.

SUPPORT BARS


HINGED SUPPORT BAR

XSK

ADJUSTABLE



Installation example for mounting right/left at the washbasin or toilet, see page 154 / 157



For use by young and old

The angled position of the bars mean two support heights can be grabbed



Safety and strength-saving use

Use the lower bar for sitting down and the upper bar to stand up

HINGED SUPPORT BAR XSK - RIGHT / CENTRE / LEFT ADJUSTABLE

Article name	Reach in mm	Weight in kg	Art. no.		
XSK-600	600	5.00	53 926..*		
XSK-700	700	5.15	53 927..*		
XSK-850	850	5.35	53 928..*		
XSK-900**	900	5,45	54 090..*		
XSK-1000**	1.000	5,55	54 001..*		

Further dimensions on request!

** delivery time on request!

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:


Colours to order:

19

03

18

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Ergonomically shaped, round tube handle bar, can be used on the left or right.
- Different bar heights possible due to inclined position, alignment right / left / centre adjustable, can be pushed up directly against the wall (in parking position) to save space. Incl. integrated adjustable brake.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX
- Load up to 100 kg.



DEFINED END STOP

Prevents the hinged support bar from hitting the wall

AID CODE NUMBER:
XSK
04.40.05.1242

SMART ADDITIONS



Installation set 1 (2x required)

Art. no. 50 068 39

Page 125



Installation set 2
(composite mortar cartridge)

Art. no. 50 070 34

Page 125



Paper holder PAS-X-R

Art. no. 54 071 ..*

Page 119



Remote release FMI / E

Art. no. 81 022 13

Page 116



Electric flush release ESA-X-R

See page 114

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SUPPORT BARS

SUPPORT BAR**XSS**

RIGID

**SUPPORT BAR XSS - RIGID**

Article name	Reach in mm	Weight in kg	Art. no.		
XSS-450	450	1.12	54 004..*		
XSS-600	600	1.27	54 005..*		
XSS-700	700	1.33	54 006..*		
XSS-850	850	1.48	54 007..*		

Further dimensions on request!

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):

01

04

08

Standard colours 2 (SC2):

85

On request:


Colours to order:

19

03

18

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Ergonomically shaped, round tube handle bar, can be used on the left or right.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX.
- Load up to 100 kg.



**AID CODE
NUMBER:
XSS
04.40.05.1244**

SMART ADDITIONS



Installation set 1 (2x required)

Art. no. 50 068 39

Page 125



Installation set 2
(composite mortar cartridge)

Art. no. 50 070 34

Page 125



**Paper holder
PAS-X-R**

Art. no. 54 071 ..*

Page 119



**Remote release
FMI / E**

Art. no. 81 022 13

Page 116



**Electric flush release
ESA-X-R**

See page 114

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SUPPORT BARS

**HINGED SUPPORT BAR
XSE****HINGED SUPPORT BAR XSE**

Article name	Reach in mm	Weight in kg	Art. no.		
XSE-600	600	4.50	53 805..*		
XSE-700	700	4.67	53 806..*		
XSE-850	850	4.95	53 807..*		

Further dimensions on request!

* Please add the desired colour number to the last digits of the article no.:


Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:



- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Ergonomically shaped, single-arm handle bar oval tube, cross-section 34-44 mm, can be used on the left or right.
- Incl. integrated adjustable brake.
- Including concealed screw-on plate VPX (without installation set).
- For preparation with preparation set VSX.
- Load up to 100 kg.



DEFINED END STOP

Prevents the hinged support bar from hitting the wall

**AID CODE
NUMBER:
XSE**

04.40.05.1243

SMART ADDITIONS



Installation set 1
(2x required)

Art. no. 50 068 39
Page 125



Installation set 2
(composite mortar cartridge)

Art. no. 50 070 34
Page 125



**Paper holder
PAS-X-O**

Art. no.
Page 119



**Remote release
FMI / CL**

Art. no. 83 214 00
Page 116



**Electric flush release
ESA-X-O**

See page 114

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:


Colours to order:



SUPPORT BARS

HINGED SUPPORT BAR ASK

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Ergonomically shaped, single-arm handle bar oval tube, can be used on the left or right
- Incl. integrated adjustable brake.
- Beam and wall fixing parts made of high-quality plastic with integrated support elements made of aluminium and stainless steel, side caps in gloss chrome
- Incl. screw cover. Without installation set.
- Load up to 100 kg.



HINGED SUPPORT BAR ASK

Article name	Reach in mm	Weight in kg	Art. no.	
ASK-600	600	2.36	83 133..*	
ASK-700	700	2.50	83 131..*	
ASK-850	850	2.72	83 132..*	

SMART ADDITIONS

DEFINED END STOP

Prevents the hinged support bar from hitting the wall



Installation set 1 (2x required)

Art. no. 50 068 39

Page 125



Installation set 2 (composite mortar cartridge)

Art. no. 50 070 34

Page 125



Paper holder PAS / CL

Art. no. 83 207 00

Page 120




Remote release FMI / CL

Art. no. 83 214 00

Page 116

* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 

SUPPORT BARS


HINGED SUPPORT BAR

ASK

WITH ELECTRIC

FLUSH RELEASE ESA

- Made of corrosion-resistant aluminium or high-gloss anodised.
- Ergonomically shaped, single-arm handle bar oval tube, can be used on the left or right.
- With electric remote release ESA, for toilet flush release without additional functions.
- Incl. integrated adjustable brake.
- Beam and wall fixing parts made of high-quality plastic with integrated support elements made of aluminium and stainless steel, side caps in gloss chrome.
- Incl. screw cover. Without installation set.
- Load up to 100 kg.



HINGED SUPPORT BAR ASK - WITH ELECTRIC REMOTE RELEASE ESA

Article name	Reach in mm	Weight in kg	Art. no.
ASK-600 with ESA	600	2.36	83 208..*
ASK-700 with ESA	700	2.50	83 209..*
ASK-850 with ESA	850	2.72	83 210..*

SMART ADDITIONS



Installation set 1 (2x required)

Art. no. 50 068 39

Page 125

Installation set 2 (composite mortar cartridge required)

Art. no. 50 070 34

Page 125

Paper holder PAS / CL

Art. no. 83 207 00

Page 120

COMPATIBLE WC-CONTROLS for Erlau hinged support bar ASK with electric remote release ESA: (to be purchased from the respective cistern supplier)

- GEBERIT WC-control with electronic flush release, mains operation; article no. 115.863.SN.5
- GROHE WC-control for wired electric push-button article no.: 38934SD0
- MEPA Sanicontrol 1061, for wired electric push-button, mains operation; article no.: 718450; MEPA Sanicontrol 1061, for wired electric push-button, mains operation; article no.: 718451
- SANIT WC-control for wired electric push-button, mains operation, article no.: 05.016.00.0000; SANIT WC-control for wired electric push-button, battery operation; article no.: 05.017.00.0000
- TECEplanus WC remote control for wired electric push-button, 12V mains, article no. 9240357; TECEplanus WC remote control for wired electric push-button, 6V battery, article no.: 9240356
- VIEGA WC flush release for wired electric push-button, mains operation; article no.: 8350.31 or 8350.32, battery operation also possible (battery compartment 8350.13)
- and other manufacturers...

* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85

ACCESSORIES FOR SUPPORT BARS

ELECTRIC FLUSH RELEASE ESA-X

VARIANT 1

or

VARIANT 2

or

VARIANT 3

HINGED SUPPORT BAR XSK




+



+



+



SUPPORT BAR XSS



+



+



+



HINGED SUPPORT BAR XSE




+



+



+



ELECTRIC FLUSH RELEASE ESA-X

No.	Article name	Variant	Art. no.		
1	Hinged support bar XSK	1		See page 106	
2	Support bar XSS	2		See page 108	
3	Hinged support bar XSE	3		See page 110	
4	Carrier ESA-X-R (for retrofitting)	1/2	54 073 ..*		
5	Carrier ESA-X-O (for retrofitting)	3	54 072 ..*		
6	Transmitter ESA-X (for retrofitting)	1/2/3	50 078 96		
7	Transmitter ESA-X with emergency call (for retrofitting)	1/2/3	50 078 97		
8	2-channel recessed receiver	1/2/3	50 077 31		
9	Transformer for recessed receiver (optional)	1/2/3	50 080 84		

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): (01) (04) (08) Standard colours 2 (SC2): (85)

On request:

Colours to order:



- For toilet flush and emergency call.
- To suit Erlau support bars XSK, XSS, XSE.
- For preparation of the 2-channel recessed radio receiver.
- Transmitter unit with pictograms and Braille
- Transmitter without batteries, with the Energy-Harvesting function (Piezo button)
- Compatible with EnOcean technology

General information

The radio receiver has 2 outputs and works in conjunction with the Erlau transmitter ESA-X and ESA-X emergency call, which can be used to control the toilet flush and to control a call system.

Installation

The radio receiver is suitable for recessed installation. Alternatively, the radio receiver can also be attached to the cistern, for example.

Technical data


Voltage supply	4-24 VDC
Scanning power	max. 2x100 mA
Power consumption	approx. 80 mA at 4 VDC / approx. 10 mA at 24 VDC
Ambient temperature	-20° to +55° C
Rel. air humidity	0 % to 95 %
Approbation	CE
Protection type corresponds with	IP20
Dimensions (LxWxH)	approx. 50 x 50 x 30 mm



COMPATIBLE WC CONTROLS

For Erlau electric flush release ESA-X: (to be purchased from the respective cistern supplier)

- GEBERIT WC-control with electronic flush release, mains operation; article no. 115.863.SN.5
- GROHE WC-control for wired electric push-button article no.: 38934SD0
- MEPA Sanicontrol 1061, for wired electric push-button, mains operation; article no.: 718450
MEPA Sanicontrol 1061, for wired electric push-button, mains operation; article no.: 718451
- SANIT WC-control for wired electric push-button, mains operation, article no.: 05.016.00.0000
SANIT WC-control for wired electric push-button, battery operation; article no.: 05.017.00.0000
- TECEplanus WC remote control for wired electric push-button, 12V mains, article no. 9240357
TECEplanus WC remote control for wired electric push-button, 6V battery, article no.: 9240356
- VIEGA WC flush release for wired electric push-button, mains operation; article no.: 8350.31 or 8350.32, battery operation also possible (battery compartment 8350.13)
- and other manufacturers...



2-channel recessed receiver

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:




SUPPORT BAR ACCESSORIES

REMOTE RELEASE

FMI/E / FMI/CL

- For retrofitting.
- For WC flush.
- Black radio transmitter.
- Frequency 868.4 Mhz.
- 2x batteries LR-1 in the scope of supply.
- FMI/E: Suitable for support bar XSK and XSS.
- FMI/CL: Suitable for support bar ASK and XSE (screw-on).



RADIO REMOTE RELEASE FMI/E / FMI/CL

Article name		Weight in kg	Art. no.	
FMI/E	Fits XSK and XSS	0.10	81 022 13	
FMI/CL	Fits ASK and XSE	0.10	83 214 00	

COMPATIBLE WC CONTROLS for Erlau radio transmitter FMI/E and FMI/CL

(frequency 868.4 Mhz) (to be purchased from the respective cistern supplier)

- GEBERIT 115.867.SN.5 (radio/mains operation) and GEBERIT 115.869.SN.5 (radio/battery operation)
- GROHE 38759SD0 and 38778000 with additional manual actuation (radio/mains operation)
- MEPA Sanicontrol SC 1065 - 718 460 (radio/mains), 718 461 (radio/battery operation)
- SANIT 05.014.00.0000 (radio/mains operation) or 05.015.00.0000 (radio/battery operation)
- TECE 9.240.354 (radio/battery operation) TECE 9.240.355 (radio/mains operation)
- VIEGA WC flush release, mains operation 8350.31 or 8350.32 and radio receiver 8350.35 also battery operation possible (battery compartment 8350.13)
- and other manufacturers...

SUPPORT BAR ACCESSORIES

BACKREST RSX

- Padded backrest in anthracite grey made of PUR integral foam.
- Frame made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.




BACKREST RSX

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
RSX	550	585	3.80	53 993..*		

PROFESSIONAL TIP

Installation height:
Drilling dimension 700
mm above FFL



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SUPPORT BAR ACCESSORIES

BACKREST RS

- Padded backrest in anthracite grey, made of reinforced PUR integral foam.
- Frame made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.




BACKREST RS

Article name	Drilling dimensions (L) in mm	Outer dimensions in mm	Weight in kg	Art. no.		
RS	554	600	3.80	53 629..*		

PROFESSIONAL TIP

Installation height:
Drilling dimension 670
mm above FFL



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:



SUPPORT BAR ACCESSORIES


PAPER HOLDER PAS-X

- With roll-off brake.
- Carrier made of corrosion-resistant aluminium, powder-coated or high-gloss anodised.
- Paper holder fixture made of black plastic.
- PAS-X-R: Suitable for Rundgrip grab and grip systems, as well as for support bars XSK and XSS.
- PAS-X-O: To suit support bar XSE.



PAPER HOLDER PAS-X

Article name		Weight in kg	Art. no.		
PAS-X-O	Fits XSE	0.43	54 070 ..*		
PAS-X-R	Fits XSK and XSS	0.43	54 071 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:




SUPPORT BAR ACCESSORIES

**PAPER HOLDER
PAS/CL**

- Stainless steel main body.
- Suitable for support bar ASK and XSE.
- Screw-on

**PAPER HOLDER PAS/CL**

Article name	Weight in kg	Art. no.	
PAS/CL to fit XSE and ASK	0.30	83 20 700	



SUPPORT BAR ACCESSORIES

PREPARATION SET VSX

- Consisting of screw-on plate VPX and cover top AHX.
- VPX: Made of corrosion-resistant aluminium.
- AHX: Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- To suit: Support bars XSK, XSS, XSE and shower seat DKX.

AHX




VPX



PREPARATION SET VSX

Article name	Drilling dimensions in mm	Outer dimensions in mm	Weight in kg	Art. no.		
VSX	130 x 75	184 x 125	1.03	53 788 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



SUPPORT BAR ACCESSORIES


SUPPORT FOOT SFX

- For fitting to support bars XSK and XSS height-adjustable +/- 2 cm.
- Made of corrosion-resistant aluminium, polyamide-coated.
- Generally only applies as a supporting component in critical wall conditions.



SUPPORT FOOT SFX

Article name	Length in mm	Weight in kg	Art. no.	
SFX	750	0.65	54 337 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:

Colours to order:



SUPPORT BAR ACCESSORIES

FIXING BRACKET


BKX

- For support bars XSK, XSS and XSE, on lightweight walls.
- Made of corrosion-resistant aluminium, polyamide-coated.
- Generally only applies as a supporting component in critical wall conditions.
- Including wall fixing material, as well as installation set for attaching the support bar to the mounting bracket.



FIXING BRACKET BKX

Article name	Dimensions in mm	Weight in kg	Art. no.	
BKX	950 x 160	4.90	54 195 ..*	



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):




On request:
Colours to order:



SUPPORT BAR ACCESSORIES

**SPLASH GUARD CURTAIN
SZ-VH/S**

- Made of resin-treated polyester material, fungicidal, antibacterial, water- and dirt-repellent, antistatic and skin-friendly.
- White with white satin stripes.
- Top with punched nickel-plated brass eyelets and curtain rings, hemmed sides, with lead tape rolled hem at the bottom edge.
- Washable at 40°C.
- Suits hinged support bars with a reach of 600 mm or 700/850 mm.

**SPLASH GUARD CURTAIN SZ-VH/S**

Article name	Dimensions in mm	Weight in kg	Art. no.	
SZ-VH/S for support bar 600 mm	820 x 580	0.12	81 018 09	
SZ-VH/S for support bar 700/850 mm	820 x 750	0.12	81 018 07	

SUPPORT BAR ACCESSORIES

SETS

FIXING/INSTALLATION

FOR SUPPORT BARS AND HINGED SHOWER SEATS



INSTALLATION SET 1




INSTALLATION SET 2



COMPOSITE MORTAR CARTRIDGE

INSTALLATION SETS AND ACCESSORIES

Article name	Consisting of	Wall characteristic	Art. no.
INSTALLATION SET 1 (2x required)	2x wood screws DIN571 8x80mm 2x washers DIN125A 8.4mm 2x Fischer dowels UX10x60mm	Lightweight wall (with corresponding back lining, 30mm waterproof glued multilayer wood panel) (drywall pre-wall installation)	5006839 (2x required)
INSTALLATION SET 2	4x inner thread anchors FIS E 11x85 M8 A4 4x hexagon screws DIN933 M8x20 A2-70 4x injection anchor sleeves FISH 16x85 4x centring nozzles --> Composite mortar cartridge required (art no. 8102684)	Solid wall (Uncracked concrete C20/25, solid brick, solid sand-lime brick, natural stone, hollow block, vertically perforated brick, perforated sand-lime brick, aerated concrete)	5007034
COMPOSITE MORTAR CARTRIDGE	Content: 280 ml --> required for installation set 2 (alternatively on-site) Enough for approx. 11 drill holes		8102684



ACCESSORIES

ACCESSORIES

HOOKS


HAK / HAK-2 / HAK-LD

- Made of high-quality plastic.
- Including fixing material.



SINGLE HOOK HAK / DOUBLE HOOK HAK-2 / LARGE HOOK HAK-LD

Article name	Dimensions in mm	Weight in kg	Art. no.
HAK	46 x 53	0.02	53 967 ..*
HAK-2	46 x 54	0.05	53 968 ..*
HAK-LD	81 x 68	0.05	53 969 ..*



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



On request:
Colours to order:



CLASSIC ACCESSORIES


PAPER HOLDER PAK-LE / PAK-DK

- Made of high-quality plastic.
- With or without cover.
- Including fixing material.



PAPER HOLDER PAK-LE / PAPER HOLDER WITH LID PAK-DK

Article name	Dimensions in mm	Weight in kg	Art. no.	
PAK-LE	132 x 171	0.27	53 970 ..*	
PAK-DK	128 x 170	0.35	82 226 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:

Colours to order:





ACCESSORIES

**SPARE PAPER ROLL HOLDER
EPK-D**

- Made of high-quality plastic.
- Including fixing material.

**SPARE PAPER ROLL HOLDER EPK-D**

Article name	Dimensions in mm	Weight in kg	Art. no.	
EPK-D	112	0.15	53 971 ..*	



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



On request:
Colours to order:




ACCESSORIES

**TOILET BRUSH SET
WBK-DN**

- For wall fixing made of high-quality plastic.
- Brush container made of plastic.
- Brush handle in Erlau standard colours.
- Black/grey brush head.
- Including fixing material.

**TOILET BRUSH SET WBK-DN**

Article name	Dimensions in mm	Weight in kg	Art. no.	
WBK-DN	461 x 149	0.25	53 972 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:

Colours to order:





ACCESSORIES


TUMBLER HOLDER BHK-DE

- Made of high-quality plastic.
- Includes fixing material.



TUMBLER HOLDER BHK-DE

Article name	Dimensions in mm	Weight in kg	Art. no.	
BHK-DE	110 x 117	0.35	82 227 ..*	



ACCESSORIES


SOAP DISH SAK-D

- Made of high-quality plastic.
- Includes fixing material.



SOAP DISH SAK-D

Article name	Dimensions in mm	Weight in kg	Art. no.	
SAK-D	158 x 110	0.20	82 229 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:

Colours to order:




ACCESSORIES

**SHELF BOARD
AB-AV**

- Made of high-quality plastic.
- Includes fixing material.

**SHELF BOARD AB-AV**

Article name	Dimensions in mm	Weight in kg	Art. no.	
AB-AV	610 x 110 x 40	0.61	53 792 ..*	



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



On request:
Colours to order:




ACCESSORIES

SHOWER SHELF

DA



SHOWER SHELF DA					
Article name	Dimensions in mm	Weight in kg	Art. no.		
DA	240 x109	0.19	54 591 ..*		




* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order: 19 03 18

- Made of high-quality plastic or as a high-gloss, chrome-plated version
- For insertion in the Erlau Rundgrip grab and grip system
- Water drainage can also be used to store wet shave razors
- Removable for easy cleaning



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:




ACCESSORIES

**CORNER SHELF
SAK-DG**

- Made of brass, polyamide-coated.
- Including fixing material.

**CORNER SHELF SAK-DG**

Article name	Dimensions in mm	Weight in kg	Art. no.	
SAK-DG	120 x 180	0.18	53 985 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



On request:


Colours to order:



ACCESSORIES





SHOWER SHELF AS-XLS

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- For insertion in the Erlau Rundgrip grab and grip system.
- With water drainage slot.
- Removable for easy cleaning.



SHOWER SHELF AS-XLS

Article name	Length in mm	Weight in kg	Art. no.		
AS-XLS	240	0.15	54 249 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:



ACCESSORIES






SHOWER BASKET DK-G / DK-E

- Straight or angled, with water drainage slots.
- Shower basket made of stainless steel, chrome-plated, inlet made of anthracite grey plastic removable for cleaning.
- Including fixing material.




SHOWER BASKET DK-G / CORNER SHOWER BASKET DK-E

Article name	Dimensions in mm	Weight in kg	Art. no.	
DK-G CHROME	122 x 233	0.56	54 294 85	
DK-E CHROME	170 x 230	0.51	54 295 85	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 

ACCESSORIES


TOWEL HOLDER HHS

- Reach 478 mm, 2-arm, pivoting, made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Includes concealed centralised fixing without rosettes.



TOWEL HOLDER HHS

Article name	Reach in mm	Weight in kg	Art. no.		
HHS	478	0.85	54092 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



Standard colours 2 (SC2):



On request:

Colours to order:




ACCESSORIES

**GLASS SHELF
GA**


- Made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Shelf made of safety glass with increased break resistance.
- Includes concealed centralised fixing.

**GLASS SHELF GA**

Article name	Dimensions in mm	Weight in kg	Art. no.	
GA	532 x 135	1.45	83 171 ..*	




* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 

ACCESSORIES

**SOAP DISH
SA**

- Holder made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Soap dish made of safety glass with increased break resistance.
- Includes concealed centralised fixing.


**SOAP DISH SA**

Article name	Dimensions in mm	Weight in kg	Art. no.	
SA	132 x 108	0.31	83 168 ..*	

ACCESSORIES

**SOAP DISPENSERS
SSP**

- Holder made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Soap container made of safety glass with increased break resistance.
- Includes concealed centralised fixing.

**SOAP DISPENSER SSP**

Article name	Dimensions in mm	Weight in kg	Art. no.	
SSP	110 x 68 x 157	0.36	83 175 ..*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85

ACCESSORIES

GLASS HOLDER GHE

- Holder made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Glass made of safety glass with increased break resistance.
- Includes concealed centralised fixing.




GLASS HOLDER

Article name	Dimensions in mm	Weight in kg	Art. no.	
GHE	112 x 70 x 98	0.33	83 166 ..*	

ACCESSORIES

GLASS HOLDER GHD

- Holder made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Two glasses made of safety glass with increased break resistance.
- Includes concealed centralised fixing.



GLASS HOLDER GHD

Article name	Dimensions in mm	Weight in kg	Art. no.	
GHD	173 x 97 x 96	0.54	83 167 ..*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85

ACCESSORIES

**TOWEL HOLDER
HTH**

- Holder made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Two-arm, pivoting.
- Includes concealed centralised fixing.


**TOWEL HOLDER HTH**

Article name	Reach in mm	Weight in kg	Art. no.	
HTH	425	0.45	83 268 ..*	

ACCESSORIES

**BATH TOWEL HOLDER
BTH**

- Made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Two grab bars, rigid.
- Includes concealed centralised fixing.

**BATH TOWEL HOLDER BTH**

Article name	Dimensions in mm	Weight in kg	Art. no.	
BTH	615 x 122	0.41	83 170 ..*	


* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85

ACCESSORIES



HOOKS HA / DHA

- Made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Includes concealed centralised fixing




HOOK HA / DOUBLE HOOK DHA

Article name	Dimensions in mm	Weight in kg	Art. no.	
HA	72 x 52 x 52	0.11	83 164 ..*	
DHA	72 x 80 x 52	0.13	83 165 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 


ACCESSORIES

**TOILET BRUSH SET
BG**

- For wall fixing, holder made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Brush container made of safety glass with increased break resistance.
- Long brush handle with black brush head.
- Includes concealed centralised fixing.

**TOILET BRUSH SET BG**

Article name	Dimensions in mm	Weight in kg	Art. no.	
BG	610	0.69	83 174..*	



* Please add the desired colour number to the last digits of the article no.:
Standard colours 2 (SC2): 85

ACCESSORIES



PAPER HOLDER PA / PAD

- Made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Includes concealed centralised fixing.
- With or without cover.



PAPER HOLDER PA / PAPER HOLDER WITH LID PAD

Article name	Dimensions in mm	Weight in kg	Art. no.	
PA	72 x 145 x 125	0.17	83 173 ..*	
PAD	74 x 145 x 157	0.21	83 172 ..*	



* Please add the desired colour number to the last digits of the article no.:

Standard colours 2 (SC2): 85


ACCESSORIES

**SPARE PAPER ROLL HOLDER
EPH**

- Made of corrosion-resistant aluminium, highly polished anodised, with anthracite grey metal colour ring.
- Includes concealed centralised fixing.

**SPARE PAPER ROLL HOLDER EPH**

Article name	Dimensions in mm	Weight in kg	Art. no.	
EPH	145 x 52	1.18	83 176 ..*	




* Please add the desired colour number to the last digits of the article no.:
Standard colours 2 (SC2): 85

ACCESSORIES

MIRRORS SP

- 6 mm thick, all edges polished, coordinated to the shelf grab bar.
- Incl. mirror fixing set (clips).



MIRROR SP


Article name	Dimensions (AxB) in mm	Weight in kg	Art. no.	
SP-600x600	600 x 600	3.50	50 069 81	
SP-1000x600	1,000 x 600	6.00	50 069 75	

ACCESSORIES

TILTING MIRROR KSK

Consisting of:

- Mirror SP-600x600, 6 mm thick, all edges polished.
- Tilting mirror fitting KSB made of stainless steel: Continuously adjustable inclination angle from 0 to 30°.
- Including fixing material.



TILTING MIRROR KSK consisting of:

Article name	Dimensions in mm	Weight in kg	Art. no.	
SP-600x600	600 x 600	3.50	50 069 81	
KSB		0.60	50 116 4	
Tilting mirror KSK overall				

SPARE PARTS

TOILET BRUSHES

- Spare brushes for toilet sets.
- Made of plastic.
- To suit toilet brush set WBK-DN, brush head black / grey.

**TOILET BRUSH WB**

Article name	Weight in kg	Art. no.	
1) WB for WBK-DN	0.08	53 973 ..*	
2) WB / CL for BG	0.09	81 026 80	
3) WB-KO / CL brush head for BG	0.04	81 026 93	

* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1):



SPARE PARTS


SHOWER HOLDER BRH2

- Made of corrosion-resistant aluminium, polyamide-coated or high-gloss anodised.
- Adjustment knob and conical shower holder in anthracite grey.
- Continuously adjustable in height and inclination.



SHOWER HOLDER BRH2 - Rundgrip

Article name	Weight in kg	Art. no.		
BRH2/G	0.3	53 741 ..*		



* Please add the desired colour number to the last digits of the article no.:

Standard colours 1 (SC1): 01 04 08 Standard colours 2 (SC2): 85

On request:

Colours to order:



SPARE PARTS

SHOWER CURTAIN RING DVSR

- Made of white plastic.
- Set of 10.



SHOWER CURTAIN RING DVSR

Article name	Weight in kg	Art. no.	
DVSR	0.01	500 70 39	

SPARE PARTS

SUPPORT DISC STS

- Made of corrosion-resistant aluminium, polyamide-coated.
- For fixing grab bars and hand rails on "soft" surfaces.
- To cover existing drill holes.





SUPPORT DISC STS

Article name	Weight in kg	Art. no.	
STS	0.05	82 090 ..*	

PROFESSIONAL TIP

Soft / uneven base?
Not a problem for Erlau!
Support disc STS straightens
everything up and pro-
vides a better hold.



* Please add the desired colour number to the last digits of the article no.:
Standard colours 1 (SC1):



ACCESSIBLE CONCEPTS

DIN 18040



The age structure in Germany is increasingly changing. By 2030, every second German citizen will have reached the age of 50. At the same time, demographic change means that accessible concepts are becoming increasingly important. In the sanitary area, too, it is important to make accessibility and use possible for as many people as possible without barriers and without outside help. DIN 18040 is indispensable for some, necessary for many, but convenient for all. In order to master the demands of everyday life on the one hand, and to be able to use this added value on the other, forward-looking planning is necessary.

DIN 18040-1

The aim of this standard is to ensure that buildings are accessible so that people with disabilities, the elderly and people with small children can reach them without difficulty and use them for their intended purpose without assistance. DIN 18040-1 is limited to buildings accessible to the public, specifically to those parts of the building and associated outdoor facilities that are intended for use by the public. These requirements apply in particular to cultural and educational facilities, office, administrative and court buildings, retail and catering outlets, parking spaces, garages and toilet facilities.

DIN 18040-2

This part of the standard applies to the barrier-free planning of apartments, distinguishing between accessible and unrestricted wheelchair usable apartments (R). The fact that accessibility means more than wheelchair accessibility is documented by the extended requirements with regard to sensory and cognitive impairments. Another new requirement is that the sanitary facilities must be able to be retrofitted by the customer. The walls must be prepared for subsequent installation of grab bars. This must already be considered by the planning and implementation phase. Adaptability to changing needs is what distinguishes "accessible concepts".

PLANNING PRINCIPLES

TOILET AREA
DIN 18040 - 1

PUBLIC AREA



Movement area in front of the washbasin	150 x 150 cm.
Movement area to the side of the toilet to the wall	90 cm width (left and right).
Toilet seat height	46 - 48 cm incl. seat.
Toilet depth	Reach min. 70 cm.
Backrest	55 cm behind the front edge of the toilet. Toilet lid is unsuitable.
Hinged support bars	Left and right, can be pushed up with less effort in self-selected stages (brake). Top edge of hinged support bar 28 cm above toilet seat height. The hinged support bar must extend at least 15 cm over the front edge of the toilet bowl. Clearance between the hinged support bars 65 - 70 cm. Load capacity: Point load of 1 kN at the front end of the bar.
Toilet paper roll holder	Reachable without changing the seating position.
Toilet flush	Reachable by the person with their hand or arm without changing the seating position.
Waste containers	Optional: An option for hygienic waste disposal should be planned.
Emergency call system	To be attached near the toilet; reachable from the toilet sitting and lying on the floor.

PLANNING PRINCIPLES

TOILET AREA**DIN 18040 - 2**

WHEELCHAIR-FRIENDLY APARTMENT



Movement area in front of the washbasin	150 x 150 cm.
Movement area to the side of the toilet to the wall	One side at least 90 cm (left or right), the other side at least 30 cm.
Toilet seat height	46 - 48 cm incl. seat.
Toilet depth	Reach min. 70 cm.
Backrest	55 cm behind the front edge of the toilet. Toilet lid is unsuitable.
Hinged support bars	Left and right, can be pushed up with less effort in self-selected stages (brake). Top edge of hinged support bar 28 cm above toilet seat height. The hinged support bar must extend at least 15 cm over the front edge of the toilet bowl. Clearance between the hinged support bars 65 - 70 cm. Load capacity: Point load of 1 kN at the front end of the bar.
Toilet paper roll holder	Reachable without changing the seating position.
Toilet flush	Reachable by the person with their hand or arm without changing the seating position.

PLANNING PRINCIPLES

TOILET AREA**DIN 18040 - 2**

ACCESSIBLE APARTMENT



When using pre-wall installation systems, please check whether the system you have selected allows installation according to the specifications in the illustration.

Movement area in front of the washbasin	120 x 120 cm.
Movement area to the side of the toilet to the wall	Min. 20 cm.
Toilet seat height	Individual.
Toilet depth	Individual.
Hinged support bars	Individual.
Toilet flush	Individual.

PLANNING PRINCIPLES



TOILET AREA

DIN 18040



EQUIPMENT EXAMPLES




Compliant with standard DIN 18040-1




ERLAU recommendation




ERLAU recommendation



Compliant with standard DIN 18040-1



Compliant with standard DIN 18040-1



PUBLIC AREA

WASHBASIN AREA

DIN 18040 - 1



Movement area in front of the washbasin	150 x 150 cm.
Installation height of washbasin top edge	Height of front edge max. 80 cm.
Mirrors	Min. 100 cm high. Arranged above the washbasin. Viewing must be possible in a seated and standing position.
Underclearance	Underclearance of at least 55 cm. Knee clearance 67 cm, measured up to 30 cm the front edge of the washbasin. Underclearance in a width of 90 cm.
Hand washbasin underclearance	Underclearance of at least 45 cm.
Operating elements	Must be arranged in the washbasin area.
Coat hooks	If coat hooks are planned: At min. 2 heights for seated and standing persons.
INSTALLATION RECOMMENDATION from Erlau: (Grabgrab bar + shelf = shelf grab bar)	Shelf grab bar - shelf with full length grab bar. <ul style="list-style-type: none"> • For convenient holding when standing and when sitting down. • For safe pull-up from a seated position.

WHEELCHAIR-FRIENDLY APARTMENT


WASHBASIN AREA
DIN 18040 - 2

Movement area in front of the washbasin	150 x 150 cm.
Installation height of washbasin top edge	Height of front edge max. 80 cm.
Mirrors	Min. 100 cm high. Arranged above the washbasin. Viewing must be possible in a seated and standing position.
Underclearance	Underclearance of at least 55 cm. Knee clearance 67 cm, measured up to 30 cm the front edge of the washbasin. Underclearance in a width of 90 cm.

ACCESSIBLE APARTMENT


WASHBASIN AREA
DIN 18040 - 2



Movement area in front of the washbasin	120 x 120 cm.
Installation height of washbasin top edge	Individual.
Mirrors	As required. 100 cm high. Arranged above the washbasin.
Underclearance	Leg clearance required.
INSTALLATION RECOMMENDATION from Erlau: (grab bar + shelf = shelf grab bar)	Shelf grab bar - shelf with full length grab bar. <ul style="list-style-type: none"> • For convenient holding when standing and when sitting down. • For safe pull-up from a seated position.

PLANNING PRINCIPLES

WASHBASIN AREA

DIN 18040 - 2

EQUIPMENT EXAMPLES



PUBLIC AREA

SHOWER AREA

DIN 18040 - 1



Movement area in the shower area	150 x 150 cm.
Shower seat	<p>Hinged shower seat required.</p> <ul style="list-style-type: none"> • Seat height 46 - 48 cm. • Seat depth min. 45 cm. <p>Alternative: Mobile and sturdy shower seat.</p>
Hinged support bars	<p>A hinged support bar must be installed on each side of the hinged seat.</p> <ul style="list-style-type: none"> • Top edge of hinged support bar 28 cm above seat height. • Front edge extends 15 cm beyond the seat. • Clearance between the hinged support bars 65 - 70 cm.
Grab bars	<p>Horizontal grab bars must be arranged at a height of 85 cm above FFL.</p> <p>Vertical grab bars must be additionally installed.</p>

WHEELCHAIR-FRIENDLY APARTMENT

SHOWER AREA

DIN 18040 - 2



Movement area in the shower area	150 x 150 cm.
Shower seat	Retrofitting option for seat. Seat height 46 - 48 cm.
Hinged support bars	Retrofitting option for hinged support bar on both sides of the seat.

ACCESSIBLE APARTMENT

SHOWER AREA

DIN 18040 - 2





Movement area in the shower area	120 x 120 cm.
Shower seat	Individual.

PLANNING PRINCIPLES

SHOWER AREA

DIN 18040





EQUIPMENT EXAMPLES



PLANNING PRINCIPLES

TOILET AREA
ÖNORM B 1600


Movement area in front of the washbasin	
Distance of toilet to the wall	Wall to centre of toilet 45 - 50 cm.
Toilet seat height	46 - 48 cm incl. seat.
Toilet depth	Reach min. 65 cm.
Backrest	60 - 75 cm above the top edge of the floor, the backrest is required from a seat depth of more than 55 cm.
Installation height of grab bar and hinged support bar	Single row top edge min. 75 cm, double row max. top edge 85 cm. Bars project 15 - 25 cm above front edge of the toilet, horizontal distance between bars 65 - 75 cm, for WC accessible from one side - angled grab bar on the wall with vertical length min. up to H=150 cm; horizontal min. 50 cm.
Toilet paper roll holder	Left and right on the seated person's grab bar.



Foldable








Hinged support bar XSK

PLANNING PRINCIPLES

TOILET AREA

ÖNORM B 1600


EQUIPMENT EXAMPLES



PLANNING PRINCIPLES

WASHBASIN AREA
ÖNORM B 1600


Installation height	80 - 85 cm, reach min. 45 cm. For hand washbasins min. 35 cm at a minimum space width of 165 cm.
Mirrors	Lower edge of mirror max. 95 cm. Top edge of mirror min. 180 cm.
Underclearance	Accessible with a width of min. 100 cm. Height min. 70 cm continuous, recessed or surface-mounted siphon.
Operating element	Installation height 80 - 110 cm, for operation at a distance of min. 20 - 35 cm from the washbasin front edge.
Coat hooks	Min. 2 coat hooks at max. height 120 cm.
Installation recommendation (grab bar + shelf = shelf grab bar)	Paper holder, towel dispenser, soap dispenser at operating level 80 - 110 cm.




PLANNING PRINCIPLES

SHOWER AREA ÖNORM B 1600



Size of shower area	Min. 150 x 150 cm or 130 x 180 cm, can be approached from 2 sides over the corner.
Shower seat	Seat size min. 40 x 40 cm. Seat height 46 x 48 cm. Axle clearance from the corner 45 - 50 cm.
Hinged support bar	Instead of the horizontal grab bar next to the hinged seat, a hinged support bar can also be fitted with a horizontal distance of 65 - 75 cm between the bars, L = 70 - 85 cm. For fixed seats, the horizontal grab bar on the installation wall in the area of the seat may be omitted.
Grab bars	Horizontal grab bars top edge min. 75 - 85 cm, vertical grab bar from 75 cm to min. height 150 cm with min. distance 70 - 85 cm from the corner, can also be used as shower rail.
Accessories	Soap tray.
Shower curtain / shower splash guard	Shower area partitions must be flexible (curtain) or fold away, no restriction of movement area.






PLANNING PRINCIPLES

SHOWER AREA

ÖNORM B 1600

EQUIPMENT EXAMPLES




PLANNING PRINCIPLES

SHOWER AREA

ÖNORM B 1600

EQUIPMENT EXAMPLES




PLANNING PRINCIPLES

SHOWER AREA

ÖNORM B 1600

EQUIPMENT EXAMPLES




PLANNING PRINCIPLES

TOILET AREA
SIA 500

PUBLIC AREA



Distance of toilet to the wall	Wall to centre of toilet 45 cm.
Toilet seat height	46 - 48 cm incl. seat.
Toilet depth	Reach min. 65 cm.
Backrest	For WC with recessed flush, 15-20 cm from rear wall or mounted cistern..
Installation height of grab bar and hinged support bars	70 - 75 cm. Angled grab bar protruding 20 - 25 cm above front edge of WC, length min. 50 cm, top edge vertical min. 170 cm; hinged grab bar protruding min. 10 cm above WC; hinged support bar on outside, centre of WC to centre of hinged support bar 35 cm.
Toilet paper roll holder	Attached under the horizontal grab bar.
Hinged grab bar operation	For operation with one hand.
Mirrors	Permanently installed, tilting mirrors not permitted.
Coat hooks	1.10 above the floor on wall opposite the toilet bowl/hand washbasin.





PLANNING PRINCIPLES

WASHBASIN AREA
SIA 500

WHEELCHAIR-FRIENDLY APARTMENT



Installation height of washbasin top edge	85 cm, reach 35 - 40 cm (public toilet facilities).
Mirrors	Permanently installed, tilting mirrors not permitted. Lower edge max. 100 cm from the floor, top edge min. 180 cm.
Hand washbasin underclearance	70 cm in knee area.
Toilet depth	Reach min. 65 cm.
Backrest	For WC with recessed flush, 15 - 20 cm from rear wall or mounted cistern.
Operating elements	Operating height max. 110 cm.
Coat hooks	Installation height 110 cm.
INSTALLATION RECOMMENDATION (grab bar + shelf = shelf grab bar)	Shelf grab bar - shelf with full length grab bar. <ul style="list-style-type: none"> • For convenient holding when standing and when sitting down. • For safe pull-up from a seated position.



SIA 500

WHEELCHAIR-FRIENDLY APARTMENT

Technical drawings of the shower cabin BS-R-1200, including dimensions and component labels.

Dimensions:



- Overall width: 200-250
- Minimum clearance: min. 450
- Door height: ca. 1900
- Internal height: 700-750
- Door thickness: 460
- Internal width: 450
- Internal depth: 350
- Shower rail length: 900
- Minimum clearance for shower head: min. 500

Components and Labels:

- Shower rail BS-R-1200
- Grab bar HG-R-600
- Splash guard SZV
- Hinged support bar XSK
- Hinged shower seat DK X

PROPOSAL

FOR YOUR SHOWROOM



PROPOSAL

FOR YOUR SHOWROOM



Mirror SP 1000x600

Article no.: 50 069 75

Soap dish SA

Article no.: 83 168 85

Shelf grab bar KG-R-700

Article no.: 53 628 85

Glass holder GHE

Article no.: 83 166 85



Shower hand rail DBE-R-1205x985x790

Article no.: 53 639 85

List price € 514.00*

Shelf AS-XLS

Article no.: 54 249 85

Hinged shower seat DEX

Article no.: 53 940 85

QUICKFINDER

WHAT ARE YOU LOOKING FOR?

ERLAU SANITARY FITTINGS

Product name	Page:
Shelf	25, 26, 58, 59, 132 - 135, 138, 139
Tumbler holder	132, 140
Fixing bracket	123
Shower holder	51, 148
Shower hose	71
Shower rail	19, 32, 65
Hinged shower seat	102
Shower hand rail	20, 38, 40, 49, 50, 66, 68, 70
Shower stool	100
Hinged shower seat	22, 97, 98
Shower basket	27, 33, 134, 136
Shower curtain	80
Shower curtain rail	73 - 77, 81
Electric flush release	114
Spare paper roll holder	129, 145
Spare parts	147 - 149
Remote release	116
Footrest	17, 31, 57
Glass holder	140
Hooks	127, 133a, 142
Grab bar	16, 30, 36, 46, 55, 56, 70
Hand shower	71
Towel holder	16, 24, 30, 36, 55, 137, 141
Shelf grab bar	58, 59
Paper holder	119, 120, 128, 144
Backrest	117, 118
Soap dispensers	139
Mirrors	146
Splash guard	78 - 81, 124
Support foot	122
Support bar	108
Hinged support bar	23, 42, 43, 106 - 113
Toilet brush set	130, 143
Angled grab bar	18, 37, 47, 48, 60, 62

SELECTIONLINE						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	Black matt (*36)	Copper (*37)	Page
SELECTIONLINE	GRAB BAR HG-R	300 600	53621..* 53624..*			16
	FOOTREST HG-R	169	54041..*			17
	ANGLED GRAB BAR WG-90-R	805 x 605	53633..*			18
	SHOWER RAIL BS-R	1,000	53642..*			19
	SHOWER RAIL DB-R	1,205 x 700	53637..*			20
	HINGED SHOWER SEAT DKX	430 x 466 x 89	53944..*			22
	HINGED SUPPORT BAR XSE	700 850	53806..* 53807..*			23
	TOWEL HOLDER HHS	478	54092..*			24
	GLASS SHELF KG-R	169	54080..*			25
	SHOWER SHELF AS-XLS	240	54249..*			26
	SHOWER BASKET DK-G	122 x 233	5429436			27
	CORNER SHOWER BASKET DK-E	175 x 175	5429536			27

* Please add the desired colour number to the last digits of the article number:

36













37

VARIGRIP · COLORLINE						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	red-white (*03)	Chrome (*85)	Page
VARIGRIP	TOWEL HOLDER HG-V ALSO GRAB BAR	300 600 900 1,100	5428985 5429085 5429185 5429285			30
	FOOTREST HG-V	200	5428885			31
	SHOWER RAIL BS-V	900 1,100	5431385 5431485			32
	SHOWER BASKET DK-G	122 x 233	5429485			33
	CORNER SHOWER BASKET DK-E	175 x 175	5429585			33
COLORLINE	GRAB BAR HG-R CL ALSO TOWEL HOLDER	300 600	5433103 5433203			36
	ANGLED GRAB BAR WG-45-R CL	556 x 256	5433303			37
	ANGLED GRAB BAR WG-90-R CL	805 x 605	5433403			37
	SHOWER HAND RAIL DB-R CL	1,200 x 500	5433503			38
	SHOWER HAND RAIL DBE-R CL	1,200 x 780 x 790	5433603			40
	HINGED SUPPORT BAR XSE CL	600 700 850	5432803 5432903 5433003			42
	HINGED SUPPORT BAR XSK CL	600 700 850	5432503 5432603 5432703			43

* Please add the desired colour number to the last digits of the article number:

03

85

WELLGRIP GRAB BARS AND SHELF GRAB BARS						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
WELLGRIP	GRAB BAR HG-W	 300 600	54189..* 54190..*			46
	ANGLED GRAB BAR WG-45-W	 300 x 300	54191..*			47
	ANGLED GRAB BAR WG-90-W	 805 x 605	54192..*			48
	SHOWER HAND RAIL DB-W	 1,200 x 500	54193..*			49
	SHOWER HAND RAIL DBE-W	 1,200 x 780 x 790	54194..*			50
	SHOWER HOLDER BRH-W		54196..*			51
GRAB BARS AND SHELF GRAB BARS	GRAB BAR HG-R	 300 400 500 600 700 800 900	53621..* 53622..* 53623..* 53624..* 53625..* 53626..* 53627..*			55
	GRAB BAR HGE-R	 490 690	53702..* 53703..*			56
	FOOT RAIL HG-R	 169	54041..*			57
	SHELF GRAB BAR KG-R	 700	53628..*			58
	GLASS SHELF KG-R	 169	54080..*			59
	MIRROR SP	 600 x 600 1,000 x 600	5006981 5006975			146







* Please add the desired colour number to the last digits of the article number:

01

04







08

85

GRAB BARS · SHOWER RAILS AND SHOWER HAND RAILS						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
GRAB BARS	ANGLED GRAB BAR WG-45-R		300 x 300	53630..*		60
	ANGLED GRAB BAR WG-90-R		305 x 305 605 x 305 805 x 605 1,005 x 605	53631..* 53632..* 53633..* 53634..*		62
SHOWER RAILS AND SHOWER HAND RAILS	SHOWER RAIL BS-R		800 1,000 1,200	53641..* 53642..* 53643..*		65
	SHOWER HAND RAIL DB-R		1,205 x 500 1,205 x 700	53636..* 53637..*		66
	SHOWER HAND RAIL DBE-R		1,205 x 785 x 790 1,205 x 985 x 790	53638..* 53639..*		68
	HAND RAIL HL-R		785 x 790	53640..*		70
	SHOWER HOSE BRS		1,600	501166		71
	HAND SHOWER HBR			501180		71

* Please add the desired colour number to the last digits of the article number:



SHOWER CURTAIN RAILS AND SPLASH GUARD · INDIVIDUAL COMPONENTS						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
SHOWER CURTAIN RAILS AND SPLASH GUARD	SHOWER CURTAIN RAIL DVS-G	 1,000 1,500 1,950	53644..* 53645..* 53646..*			
	SHOWER CURTAIN RAIL DVS-L-B	 1,000 x 1,000 1,200 x 1,200 1,500 x 1,500	53934..* 53935..* 53936..*			
	SHOWER CURTAIN RAIL DVS-U-B	 1,000 x 1,010 x 1,000 1,200 x 1,210 x 1,200 1,500 x 1,510 x 1,500	53937..* 53938..* 53939..*			76
	SPLASH GUARD BAR SZV-B	 900	82408..*			78
	SPLASH GUARD CURTAIN SZ-VH WHITE	1,000 x 940	501452	White		78
	SPLASH GUARD BAR SZE-B	 886	83077..*			79
	SPLASH GUARD CURTAIN SZE-VH WHITE	870 x 745	8102383	White		79
	SHOWER CURTAIN DV WHITE	2,000 x 1,800 2,000 x 2,400 2,000 x 3,600	501492 501493 8101739	White White White		80
	SPLASH GUARD CURTAIN FOR HINGED SUPPORT BAR 600 mm SZ-VH/S WHITE	820 x 580	8101809	White		80
	SPLASH GUARD CURTAIN FOR HINGED SUPPORT BAR 700/850 mm SZ-VH/S WHITE	820 x 750	8101807	White		80
	SPARE PARTS SET DVS		5008027			81
	ARCH FOR DVS-B		54163..*			81
INDIVIDUAL COMPONENTS	HANDLE TUBE	 256 356 456 556 656 756 856 956 1,056 1,156 1,356 1,456	53761..* 53762..* 53763..* 53764..* 53765..* 53766..* 53767..* 53768..* 54166..* 53769..* 54168..* 53770..*			84
	SPARE PARTS SET		5007010			84
	INSTALLATION SET 1		5006839			84
	SPACER RINGS WHITE (SET OF 50)		5007734			84
	SPACER RINGS STONE GREY (SET OF 50)		5007736			84
	SPACER RINGS RUBY RED (SET OF 50)		5007735			84


* Please add the desired colour number to the last digits of the article number:

01

04

08

85

INDIVIDUAL COMPONENTS · SHOWER SEATS						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
INDIVIDUAL COMPONENTS	CONNECTION PIECE 58 (SET OF 2)	58 68	53771..*			85
	CONNECTION PIECE 68 (1 PC.)		53780..*			86
	WALL FIXING (1 PC.)		53772..*			85
	T-CONNECTOR 90/1 (SET OF 2)		53773..*			85
	CORNER CONNECTOR 90/2 (SET OF 2)		53774..*			85
	CORNER CONNECTOR 45/3 (SET OF 2)		53775..*			85
	CORNER CONNECTOR 90/3 (SET OF 2)		53776..*			85
	SHOWER HOLDER BRH2/G		53741..*			85
	WALL ATTACHMENT SET		54339..*			87
	HOOKS HN (SET OF 2)		5458486			87a
	HOOKS HN (SET OF 10)		5458586			87a
	GLASS ATTACHMENT SET		5008078			85
	DRILL HOLE SEAL (SET OF 10)		5008069			88
	DRILL HOLE SEAL (SET OF 30)		5008070			88
	DRILL HOLE SEAL (SET OF 100)		5008071			88
	SCREW-ON PLATE SEAL FOR VPX		5007707			88
SHOWER SEATS	HINGED SHOWER SEAT DKX	430 x 466	53944..*			97
	PREPARATION SET VSX FOR XSK, XSS, XSE AND DKX	125 x 184	53788..*			121
	HINGED SHOWER SEAT DKP/CL ANTHRACITE GREY	400 x 354	83138..*			98
	HINGED SHOWER SEAT DKP/CL WHITE	400 x 354	83137..*			
	SHOWER STOOL HC1 WHITE MATT	400 x 300 x 425	5008092			97a
	SHOWER STOOL HC2 WITH MATT	400 x 300 x 430	5008093			97a
	SHOWER STOOL DHX	430 x 402 x 470	54002..*			100
	REST LHX FOR SHOWER STOOL DHX	219 x 580	53757..*			100
	HINGED SHOWER SEAT DEX	430 x 402	53940..*			102
	FLOOR SUPPORT SET DEX-BS (2ST.)		54089..*			102

* Please add the desired colour number to the last digits of the article number:

01

04

08

85

HINGED SUPPORT BARS AND ACCESSORIES						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
HINGED SUPPORT BARS AND ACCESSORIES	HINGED SUPPORT BAR XSK		600 700 850	53926..* 53927..* 53928..*		106
	SUPPORT BAR XSS		450 600 700 850	54004..* 54005..* 54006..* 54007..*		108
	HINGED SUPPORT BAR XSE		600 700 850	53805..* 53806..* 53807..*		110
	HINGED SUPPORT BAR ASK		600 700 850	83133..* 83131..* 83132..*		112
	HINGED SUPPORT BAR ASK WITH REMOTE RELEASE ESA		600 700 850	83208..* 83209..* 83210..*		113
	CARRIER ESA-X-O FOR TRANSMITTER ESA-X			54072..*		114
	CARRIER ESA-X-R FOR TRANSMITTER ESA-X			54073..*		114
	TRANSMITTER ESA-X FOR TOILET CONTROL			5007896		114
	TRANSMITTER ESA-X FOR TOILET CONTROL AND EMERGENCY CALL			5007897		114
	2-CHANNEL RECESSED RECEIVER			5007731		114
	REMOTE RELEASE FMI/E			8102213		116
	REMOTE RELEASE FMI/CL			8321400		116
	BACKREST RSX		550	53993..*		117
	BACKREST RS		554	53629..*		118
	PAPER HOLDER PAS-X-O			54070..*		119
	PAPER HOLDER PAS-X-R			54071..*		
	PAPER HOLDER PAS/CL			8320700		120
	PREPARATION SET VSX FOR XSK, XSE, XSS AND DKX		125 x 184	53788..*		121
	SUPPORT FOOT SFX		750	54337..*		122
	FIXING BRACKET BKX		950 x 160	54195..*		123
	SPLASH CURTAIN SZ-VH/S		820 x 580	8101809		124
	SPLASH CURTAIN SZ-VH/S		820 x 750	8101807		124

* Please add the desired colour number to the last digits of the article number:

01

04







08

85

FIXING SETS · ACCESSORIES						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
FIXING SETS	INSTALLATION SET 1 FOR HINGED SUPPORT BAR XSK, XSE, ASK AND HINGED SHOWER SEAT DKX, DKP, DKS (2x required)	Lightweight wall, dry wall Wall-mounted installation	5006839			125
	INSTALLATION SET 2 FOR HINGED SUPPORT BARS XSK, XSE, ASK AND HINGED SHOWER SEATS DKX, DKP, DKS --> Composite mortar cartridge required (art. no. 8102684)	Uncracked concrete C20/25 solid brick, solid sand-lime brick, natural stone, hollow block, vertically perforated brick, perforated sand-lime brick, aerated concrete	5007034			125
	COMPOSITE MORTAR CARTRIDGE --> required for installation set 2 and fixing sets 1, 2 and 4 (alternatively on-site)		8102684			125
ACCESSORIES	HOOK HAK		47	53967..*		127
	HOOK HAK-LD		90	53969..*		127
	HOOK HAK-2		47	53968..*		127
	PAPER HOLDER PAK-LE			53970..*		128
	PAPER HOLDER PAK-DK			82226..*		128
	SPARE PAPER HOLDER EPK-D			53971..*		129
	TOILET BRUSH SET WBK-DN			53972..*		130
	TUMBLER HOLDER BHK-DE			82227..*		132
	SOAP DISH SAK-D			82229..*		132
	SHELF BOARD AB-AV		610 x 110 x 40	53792..*		133
	SHOWER SHELF DA		240 x 109	54 591 ..*		133a
	CORNER SHELF SAK-DG		120 x 120 x 180	53985..*		134
	SHELF AS-XLS		240	54249..*		135
	SHOWER BASKET DK-G		122 x 233	5429485		136
	CORNER SHOWER BASKET DK-E		175 x 175	5429585		136
	TOWEL HOLDER HHS		478 x 142	54092..*		137

* Please add the desired colour number to the last digits of the article number:



ACCESSORIES · MIRRORS						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
ACCESSORIES	SHOWER SHELF DA		240 x 109	54591..*		133a
	HOOKS HN			5458486 5458586	HN set of 2 HN set of 10	87a
	GLASS SHELF GA			83171..*		138
	SOAP DISH SA			83168..*		139
	SOAP DISPENSER SSP			83175..*		139
	GLASS HOLDER GHE			83166..*		140
	GLASS HOLDER GHD			83167..*		140
	TOWEL HOLDER HTH		425	83268..*		141
	BATH TOWEL HOLDER BTH		615	83170..*		141
	HOOK HA		72	83164..*		142
	DOUBLE HOOK DHA		72	83165..*		142
	TOILET BRUSH SET BG			83174..*		143
	PAPER HOLDER PA			83173..*		144
	PAPER HOLDER PAD			83172..*		144
	SPARE PAPER HOLDER EPH			83176..*		145
MIRRORS	MIRROR SP		600 x 600 1,000 x 600	5006981 5006975		146
	TILTING MIRROR FITTING KSB			501164		146

* Please add the desired colour number to the last digits of the article number:

01

04

08

85

SPARE PARTS						
ARTICLE NAME	Visualisation	Dimensions in mm	Art. no.	*01/04/08	*85	Page
SPARE PARTS	SPARE BRUSH WB FOR WBK-DN		53973..*			147
	TOILET BRUSH WB/CL		8102680	High-gloss polished, anodised		147
	SPARE BRUSH HEAD WB-KO/CL FOR WB/CL		8102693			147
	SHOWER HOLDER BRH2/G		53741..*			148
	SHOWER CURTAIN RING DVSR (SET OF 10)		5007039	White		149
	SUPPORT DISC STS		82090..*			149

* Please add the desired colour number to the last digits of the article number:



NOTICES

CLEANING RECOMMENDATION

Please note the following when cleaning your products:

- Only use cleaning agents intended for cleaning bathroom fittings.
- Avoid heavily acidic aids, which contain hydrochloric acid, nitric acid, phosphoric acid, acetic acid and formic acid for example.
- Avoid strong auxiliary materials containing lyes, e.g. bleach lyes, industrial cleaners, barbecue and pipe cleaners, floor cleaners and solvents (e.g. acetone).
- For cleaning, use a soft cloth, e.g. microfibre, and avoid abrasive cleaners and brushes, scouring pads and kitchen sponges as these can damage the surface.
- Do not spray the cleaning product directly onto the product, but apply it using a cleaning cloth.
- After cleaning, rinse the product with clear water or wipe off any remaining detergent with a cloth.
- Remove dirt and residues of body and cleaning products such as soap and shampoo from the product as early as possible to prevent them from sticking to the surface.
- Observe the application instructions of the cleaning product manufacturer (concentration and contact time).
- On surfaces that have become damaged during use, the damage may be extended by exposure to cleaning products of any kind.

In order to be able to guarantee a permanently visually highly appealing Erlau product with a long service life, we recommend that you clean the components gently on a regular basis!

Improper handling or improper care can attack or damage the surface. No warranty can be given for any damage resulting from this.

GTC

TERMS OF DELIVERY & PAYMENT for Germany

All prices are in EURO per item plus VAT. Delivery ex works Aalen on the basis of our General Terms and Conditions of Sale (GTC). Available at www.erlau.com, subject to the fulfilment of the conditions of our trade credit insurance.

Our invoices are payable within 10 days with 1.5% discount or after 30 days without deduction.

Complaints of any kind will only be considered within 14 days after receipt of the goods. Immediately upon receipt of the goods, the recipient shall inspect them both quantitatively and qualitatively to determine whether they deviate from the contractually agreed quality. Visible defects must be reported in writing within 14 days, non-visible defects immediately after detection, at the latest within 6 months after receipt of the goods.

Postal or carrier deliveries within the Federal Republic of Germany are generally carriage paid (with the exception of express deliveries).

For shipments outside the German mainland, freight is offered and charged individually.

The packaging will neither be charged nor taken back; seaworthy packaging, however, will always be invoiced.

Within the Federal Republic of Germany, our packaging can be registered for collection with Interseroh.

All prices are without installation work. Detailed instructions are available for installation by clients. Unloading and/or dividing up the ordered goods to individual floors, storage locations and parking spaces is not part of our scope of services.

We exclude the return of goods without our express consent.

If we agree to take back goods, only our return notes are to be used.



ERLAU®

A BRAND OF THE RUD GROUP



CONTACT

We are happy to help.

GERMANY

RUD Ketten
Rieger & Dietz GmbH & Co. KG
Friedensinsel, 73432 Aalen
Tel. +49 7361 504-0
Fax +49 7361 504-3644
objekteinrichtung@erlau.com
www.erlau.com
shop.erlau.com

AUSTRIA

ERLAU in Österreich GmbH
Pfongauer Straße 67
5202 Neumarkt
Tel.: +43 6216 20210 12

info@erlau.at
www.erlau.at

SCHWEIZ

Sanbeck-Objektservice
Florastrasse 14
8610 Uster
Tel.: +41 43 466 99 61

info@sanbeck.ch
www.sanbeck.ch

A company of the group

